

P/N AN743Z13

Description

AN743 series bracket

* Manufacturer certifications are shipped with your order EREE of charge

Order this part online

Additional Information

SKU / Model: AN743Z13

Minimum Qty (MOQ): 10

NSN: 5340-00-514-1339

ECCN: EAR99

National Motor Freight: 095190, Hardware, Noi Sub 9



^{*} See page 2 for technical characteristics

P/N AN743Z13 Specifications

0.615 Inches Minimum And 0.635 Inches Maximum
0.990 Inches Minimum And 1.010 Inches Maximum
0.500 Inches Nominal
0.204 Inches Nominal
0.128 Inches Nominal
0.365 Nominal Mils And 0.385 Nominal Centimeters
0.240 Inches Minimum And 0.260 Inches Maximum
0.240 Inches Minimum And 0.260 Inches Maximum
0.063 Inches Nominal
0.063 Inches Nominal
0.490 Inches Minimum And 0.510 Inches Maximum
0.240 Inches Minimum And 0.260 Inches Maximum
0.240 Inches Minimum And 0.260 Inches Maximum
0.250 Inches Nominal
0.250 Inches Nominal
End Radius
One Hole
End Radius
Two Holes
Not Identical
90.0 Degrees Nominal
T-4 Solution Heat Treated
Aluminum Alloy 2024
Qq-a-250/5,alclad T3 Fed Spec Single Material Response
Anodize
Angle

How to Order

Order this angle bracket from our inventory online by visiting <u>https://military-fasteners.com/brackets/angle+brackets/AI</u> then click "add to cart". Once items are in your cart you can check out <u>here</u> to complete your order.	N743Z13 and selecting the quantity you want
Provided by <u>Military-Fasteners.com</u>	