

**Description**

Fastener Length: 3/8

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	CR321464
Minimum Qty (MOQ):	100
NSN:	5320-01-470-1545
Schedule B:	7318.23.0000
ECCN:	EAR99
National Motor Freight:	096320, Rivets I / S Nickel Plated Buffed



\* See page 2 for technical characteristics

# P/N CR3214-6-4 Specifications

Fastener Length:	0.357 Inches Minimum And 0.387 Inches Maximum
Head Style:	Flush (flat) Countersunk (included Angle - Less Than 135 Deg W Or W/o Chamfer)
Shank Diameter:	0.190 Inches Nominal
Shank Style:	Self-plugging Mechanically Locked Stem
Head Major Diameter:	0.299 Inches Nominal
Expansion Device:	Plain Stem-type T
End Item Identification:	2310-01-372-3934; Hmmwv
Grip Length:	0.188 Inches Minimum And 0.250 Inches Maximum
Countersink Angle:	100.0 Degrees Nominal
Part Name Assigned By Controlling Agency:	Rivet-blind, 100 Degrees Flush Shear Head Mechanically Locked Spindle, Bulbed Style A, Class 3, Code B And E
Material:	Aluminum Alloy 5056 Sleeve
Material:	Iron Alloy 660 Locking Ring Or Steel Comp 304 Locking Ring
Material:	Steel Comp 1038 Expander
Material:	Steel Comp 8740 Stem
Material Document And Classification:	Ams6322 Assn Std Single Material Response Stem
Material Document And Classification:	Ams5731 Assn Std Single Material Response Locking Ring Or Ams5639 Assn Std Single Material Response Locking Ring
Material Document And Classification:	Qq-a-430 Fed Spec Single Material Response Sleeve
Surface Treatment:	Chromate Sleeve
Surface Treatment:	Cadmium Expander And Chromate Expander
Surface Treatment:	Cadmium Stem And Chromate Stem
Surface Treatment:	Passivate Locking Ring
Surface Treatment Document And Classification:	Mil-c-5541, Plain Color, Class 1a Mil Spec Single Treatment Response Sleeve
Surface Treatment Document And Classification:	Qq-p-35 Assn Std Single Treatment Response Locking Ring
Surface Treatment Document And Classification:	Qq-p-416, Ty 2, Cl 2 Assn Std Single Treatment Response Expander
Surface Treatment Document And Classification:	Qq-p-416, Ty 2, Cl 2 Assn Std Single Treatment Response Stem
Specification/standard Data:	80205-nas9303 Professional/Industrial Association Standard

## How to Order

Order this blind rivet from our inventory online by visiting <https://military-fasteners.com/rivets/blind+rivets/CR3214-6-4> and selecting the quantity you want then

click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.