

## P/N 1340510

### **Description**

Fastener Length: 4-1/2", Thread: 1/2-13, Thread Length: 1-1/4"

\* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

## Order this part online

#### **Additional Information**

SKU / Model: 1340510

Minimum Qty (MOQ): 10 EA

NSN: 5305-01-159-1289

Schedule B: 7318.15.8085

ECCN: 9A991

National Motor Freight: 093486, Bolts, nuts Or Screws, Noi (sub 3)



<sup>\*</sup> See page 2 for technical characteristics

# P/N 1340510 Specifications

Thread Class:	2a
Thread Direction:	Right-hand
Thread Length:	1.250 Inches Nominal
Fastener Length:	4.500 Inches Nominal
Head Style:	Hexagon Extended Washer
Head Height:	0.510 Inches Nominal
Width Between Flats:	0.750 Inches Nominal
Extended Washer Diameter:	1.070 Inches Nominal
Extended Washer Thickness:	0.080 Inches Nominal
End Item Identification:	Hemtt Family (heavy Expanded Mobility Tactical Trucks);2320-01-304-2277 And 2320-01-304-2278 Pls (palletized Loading System)
Nominal Thread Diameter:	0.500 Inches
Thread Quantity Per Inch:	13
Material:	Steel Comp 1013 Overall Or Steel Comp 1015 Overall Or Steel Comp 1016 Overall Or Steel Comp 1017 Overall Or Steel Comp 1018 Overall Or Steel Comp 1019 Overall Or Steel Comp 1020 Overall Or Steel Comp 1021 Overall Or Steel Comp 1022 Overall Or Steel Comp 1023 Overall Or Steel Comp 1524 Overall Or Steel Comp 1025 Overall Or Steel Comp 1026 Overall Or Steel Comp 1527 Overall Or Steel Comp 1029 Overall Or Steel Comp 1030 Overall Or Steel Comp 1033 Overall Or Steel Comp 1034 Overall Or Steel Comp 1035 Overall Or Steel Comp 1536 Overall Or Steel Comp 1037 Overall Or Steel Comp 1038 Overall Or Steel Comp 1039 Overall Or Steel Comp 1040 Overall Or Steel Comp 1541 Overall
Surface Treatment:	Phosphate Overall
Surface Treatment Document And Classification:	Dod-p-16232 Mil Spec Single Treatment Response Overall
Thread Series Designator:	Unc

## **How to Order**

