

## Description

Corrosion resistant steel, winged, total panel thickness 0.240" - 0.269

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

## Additional Information

### Alternate Part Numbers

[1126014-8](#)

SKU / Model:	26008SW
Minimum Qty (MOQ):	2
NSN:	5325-00-543-3236
ECCN:	EAR99
National Motor Freight:	066440, Fasteners Curtain / Snap Metal



\* See page 2 for technical characteristics

# P/N 2600-8SW Specifications

Center To Center Distance Between Mounting Holes:	0.738 Inches Minimum And 0.762 Inches Maximum
Mounting Style:	Dimpled W/mounting Hole
Turnlock Receptacle Style:	Receptacle
Receptacle Overall Length:	1.000 Inches Nominal
Receptacle Height:	0.500 Inches Nominal
Receptacle Width:	0.443 Inches Minimum And 0.451 Inches Maximum
Turnlock Mounting Hole Diameter:	0.440 Inches Nominal
Material:	Copper Alloy Receptacle
Material:	Steel Comp 1009 Eyelet
Material:	Steel Comp 4037 Stud
Material:	Steel Corrosion Resisting Washer
Material:	Steel Ejector Spring
Material Document And Classification:	Astm A304 Assn Std Single Material Response Stud Or Astm A322 Assn Std Single Material Response Stud Or Astm A331 Assn Std Single Material Response Stud
Material Document And Classification:	Qq-s-698 Fed Spec Single Material Response Eyelet
Material Document And Classification:	Qq-w-470 Fed Spec Single Material Response Ejector Spring
Surface Treatment:	Cadmium Stud And Chromate Stud
Surface Treatment:	Cadmium Ejector Spring And Chromate Ejector Spring
Surface Treatment:	Cadmium Eyelet And Chromate Eyelet
Surface Treatment:	Cadmium Receptacle And Chromate Receptacle
Surface Treatment:	Passivate Washer
Surface Treatment Document And Classification:	Qq-p-416 Ty 2 Cl 2 Fed Spec Single Treatment Response Ejector Spring
Surface Treatment Document And Classification:	Qq-p-416 Ty 2 Cl 2 Fed Spec Single Treatment Response Eyelet
Surface Treatment Document And Classification:	Qq-p-416 Ty 2 Cl 2 Fed Spec Single Treatment Response Receptacle
Surface Treatment Document And Classification:	Qq-p-416 Ty 2 Cl 2 Fed Spec Single Treatment Response Stud

## How to Order

Order this turnlock fastener receptacle from our inventory online by visiting <https://military-fasteners.com/studs/turnlock+fastener+receptacles/2600-8SW> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.