

Description

Door Switch, SPDT Single Pole Double Throw Circuitry, 10 A at 250 Vac, Rod Actuator, Silver Contacts, Screw Termination, 2AC series switch

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information**Alternate Part Numbers**

[MS16106-1](#)

SKU / Model:	2AC59
Minimum Qty (MOQ):	1
NSN:	5930-00-519-8144
Schedule B:	8535.30.0080
ECCN:	EAR99
National Motor Freight:	061300, Circuit Breaker / Switch Noi



P/N 2AC59 Specifications

Thread Class:	2b
Body Style:	Hole Mounted
Overall Length:	2.035 Inches Maximum
Overall Height:	1.640 Inches Nominal
Overall Width:	0.520 Inches Nominal
Body Length:	1.660 Inches Maximum
Body Width:	0.520 Inches Nominal
Body Height:	1.300 Inches Nominal
Center To Center Distance Between Mounting Facilities Parallel To Height:	0.500 Inches Nominal
Actuator Style:	Round
Actuator Diameter:	0.250 Inches Nominal
Actuator Height:	0.375 Inches Maximum
Actuator Free Position Height:	0.375 Inches Maximum
Maximum Voltage Rating In Volts:	115.0 Ac And 125.0 Dc
End Item Identification:	Missminuteman Leg-30
Inclosure Type:	Uninclosed
Mounting Method:	Threaded Hole
Thread Quantity Per Inch:	32
Nominal Thread Size:	0.138 Inches
Nonpile-up Contact Arrangement:	1 Pole, Double Throw, One Position Momentary Single Switch Unit
Switch Release Force:	4.0 Ounces Minimum
Switch Actuating Force:	144.0 Ounces Nominal
Actuator Movement:	0.172 Pretravel Inches Nominal
Contact Load Current Rating At Maximum Rated Voltage:	500.000 Milliamperes Resistive Dc And 100.000 Milliamperes Inductive Dc And 10.000 Amperes Resistive Ac And 10.000 Amperes Inductive Ac
Test Data Document:	81349-mil-prf 8805 Specification (includes Engineering Type Bulletins, Brochures,etc., That Reflect Specification Type Data In Specification Format; Excludes Commercial Catalogs, Industry Directories, And Similar Trade Publications, Reflecting General Type Data On Certain Environmental And Performance Requirements And Test Conditions That Are Shown As "typical", "average", "nominal", Etc.).
Thread Series Designator:	Unc
Terminal Type And Quantity:	3 Tab W/screw

How to Order

Order this sensitive switch from our inventory online by visiting <https://military-fasteners.com/switches/sensitive+switch/2AC59> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.