

Description

2 position, 2 pole, standard lever, screw terminal

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information**Alternate Part Numbers**

[MS24524-23](#)

SKU / Model:	2TL13
Minimum Qty (MOQ):	1
NSN:	5930-00-655-4241
ECCN:	EAR99
National Motor Freight:	061300, Circuit Breaker / Switch Noi



* See page 2 for technical characteristics

P/N 2TL1-3 Specifications

Thread Class:	2a
Body Style:	Bushing Mount
Overall Length:	1.340 Inches Maximum
Overall Height:	2.580 Inches Maximum
Overall Width:	0.910 Inches Maximum
Bushing Length:	0.450 Inches Minimum And 0.490 Inches Maximum
Body Length:	1.340 Inches Maximum
Body Width:	0.910 Inches Maximum
Body Height:	0.950 Inches Minimum
Actuator Style:	Round
Actuator Diameter:	0.235 Inches Minimum And 0.245 Inches Maximum
Actuator Height:	0.660 Inches Minimum And 0.720 Inches Maximum
Actuator Position-action Relationship:	Up Position Maintained And Down Position Maintained
Maximum Voltage Rating In Volts:	115.0 Ac And 28.0 Dc
End Item Identification:	Mrap - Rg-33
Inclosure Type:	Fully Inclosed
Mounting Method:	Threaded Bushing
Features Provided:	Actuator Seal
Thread Quantity Per Inch:	32
Nominal Thread Size:	0.469 Inches
Nonpile-up Contact Arrangement:	2 Pole, Double Throw, Both Positions Maintained Single Switch Unit
Contact Load Current Rating At Maximum Rated Voltage:	20.000 Amperes Resistive Dc And 15.000 Amperes Inductive Dc And 7.000 Amperes Lamp Dc And 15.000 Amperes Resistive Ac And 15.000 Amperes Inductive Ac And 4.000 Amperes Lamp Ac
Test Data Document:	81349-mil-dtl-3950 Specification (includes Engineering Type Bulletins, Brochures,etc., That Reflect Specification Type Data In Specification Format; Excludes Commercial Catalogs, Industry Directories, And Similar Trade Publications, Reflecting General Type Data On Certain Environmental And Performance Requirements And Test Conditions That Are Shown As "typical", "average", "nominal", Etc.).
Thread Series Designator:	Uns
Terminal Type And Quantity:	4 Screw

How to Order

Order this toggle switch from our inventory online by visiting <https://military-fasteners.com/electrical/toggle+switches/2TL1-3> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.