

Description

Retaining Ring part number

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

| | |
|-------------------------|-----------------------------|
| SKU / Model: | 9M188181 |
| Minimum Qty (MOQ): | 5 EA |
| NSN: | 5325-00-323-3530 |
| Schedule B: | 7318.29.0000 |
| ECCN: | 9A991 |
| National Motor Freight: | 095190, Hardware, Noi Sub 9 |

NO IMAGE
AVAILABLE

* See page 2 for technical characteristics

P/N 9M188-181 Specifications

| | |
|-------------------------------------|---|
| Cross-sectional Shape Style: | Double Oval |
| Inside Diameter: | 1.669 Inches Minimum And 1.705 Inches Maximum |
| Casehardening Indicator: | Not Casehardened |
| Outside Diameter: | 1.923 Inches Minimum And 1.943 Inches Maximum |
| Major Thickness: | 0.061 Inches Minimum And 0.067 Inches Maximum |
| Ring Style: | Special Flat |
| Usage Design: | Internal |
| Strength Rating: | 221000.0 Pounds Per Square Inch Minimum Tensile |
| Material: | Steel Fed Std 66 Sae 1070 Thru Sae 1090 |
| Material: | Steel Fed Std 66 Sae 1070 Thru Sae 1090 |
| Surface Treatment: | Cadmium And Chromate |
| Surface Treatment: | Cadmium, Qq-p-416, Type 2, Class 2 |

How to Order

Order this retaining ring from our inventory online by visiting <https://military-fasteners.com/rings/retaining+rings/9M188-181> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.