

P/N AN173H11A

Military-Fasteners.com

Description

Fastener Length: 1-3/16", Hole Diameter: 1/32", Thread: 10-32, Thread Length: 29/64"

* Manufacturer certifications are shipped with your order $\underline{\mathsf{FREE}}$ of charge

Order this part online

Additional Information

SKU / Model:	AN173H11A
Minimum Qty (MOQ):	10 EA
NSN:	5306-00-292-8276
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)



P/N AN173H11A Specifications

Thread Direction: Righ	ht-hand
Thread Length: 0.37	74 Inches Minimum And 0.453 Inches Maximum
Fastener Length: 1.14	40 Inches Minimum And 1.187 Inches Maximum
Head Style: Hexa	kagon
Head Height: 0.10	09 Inches Minimum And 0.141 Inches Maximum
Width Between Flats: 0.36	65 Inches Minimum And 0.377 Inches Maximum
Hole Diameter: 0.04	46 Inches Nominal
Grip Diameter: 0.18	889 Inches Minimum And 0.1894 Inches Maximum
Nominal Thread Diameter: 0.19	90 Inches
Grip Length: 0.73	34 Inches Minimum And 0.766 Inches Maximum
Hole Quantity: 1	
Hole Type: Drille	led
Thread Quantity Per Inch: 32	
Minimum Tensile Strength: 1250	000 Pounds Per Square Inch
Hardness Rating: 26.0	0 Rockwell C Minimum Overall And 32.0 Rockwell C Maximum Overall
Hole Configuration Style: Hexa	kagon Flats
Surface Finish: 63.0	0 Microinches Bearing Surface Of Head
Surface Finish: 63.0	0 Microinches Grip
Material	el Comp 8740 Overall Or Steel Comp 8630 Overall Or Steel Comp 8735 Overall Or Steel Comp 4037 Overall Or Steel Comp 4140 Overall Or el Comp 4130 Overall
Material Document And Classification:	s-6049 Mil Spec 1st Material Response Overall Or Mil-s-6050 Mil Spec 2nd Material Response Overall Or Mil-s-6098 Mil Spec 3rd Material sponse Overall Or Ams 6300 Assn Std 4th Material Response Overall Or Mil-s-5626 Mil Spec 5th Material Response Overall Or Mil-s-6758 Mil ec 6th Material Response Overall
Surface Treatment: Cadr	Imium Overall And Chromate Overall
Surface Treatment Document And Qq-p Classification:	p-416,type 2,class 3 Fed Spec Single Treatment Response Overall
Thread Series Designator: Unf	

How to Order

Order this bolt from our inventory online by visiting <u>https://military-fasteners.com/bolts/close+tolerance+bolts/AN173H11A</u> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <u>here</u> to complete your order.