

**Description**

Thread Size: 1", Nut Height: 0-63/64", Head Width: 1-1/2", AN310 series nut

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	AN310C15
Minimum Qty (MOQ):	2
NSN:	5310-00-619-8122
Schedule B:	7318.16.0085
ECCN:	9A991
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)



## P/N AN310C15 Specifications

<b>Thread Class:</b>	3b
<b>Thread Direction:</b>	Right-hand
<b>Nut Style:</b>	Castellated, Hexagon
<b>Nut Height:</b>	0.984 Inches Minimum And 1.016 Inches Maximum
<b>End Item Identification:</b>	Spruance Class Dd (963);deep Submergence Systems Programs (dssp);aircraft, Airlifter C-17a;helicopter Landing System, Lamps Mk Iii;nimitz Class Cvn;aircraft, B-2 Bomber (atb);kidd Class Ddg;ticonderoga Class Cg (47);arleigh Burke Class Ddg;oliver Perry Class Ffg
<b>Width Across Flats:</b>	1.483 Inches Minimum And 1.502 Inches Maximum
<b>Thread Series:</b>	Unf
<b>Thread Quantity Per Inch:</b>	12
<b>Nominal Thread Size:</b>	1.000 Inches
<b>Countersink Angle:</b>	109.0 Degrees Minimum Nut And 111.0 Degrees Maximum Nut
<b>Bearing Surface Type:</b>	Washer Faced
<b>Material:</b>	Steel Comp 302 Overall Or Steel Comp 303 Overall Or Steel Comp 304 Overall Or Steel Comp 305 Overall Or Steel Comp 316 Overall Or Steel Comp 317 Overall Or Steel Comp 347 Overall Or Steel Comp 410 Overall Or Steel Comp 414 Overall Or Steel Comp 416 Overall
<b>Material Document And Classification:</b>	66 Fed Std All Material Responses Overall
<b>Surface Treatment:</b>	Passivate Overall
<b>Surface Treatment Document And Classification:</b>	Qq-p-35 Fed Spec Single Treatment Response Overall
<b>Nondefinitive Spec/std Data:</b>	5 Type

## How to Order

Order this plain castellated hexagon nut from our inventory online by visiting <https://military-fasteners.com/nuts/plain+castellated+hexagon+nuts/AN310C15> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.