

P/N AN42B3

Military-Fasteners.com

#### Description

length: 15/32", grip: 1/16", thread: 10-32, drilled shank, AN42 series bolt

\* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

### Order this part online

#### **Additional Information**

SKU / Model:	AN42B3
Minimum Qty (MOQ):	5
NSN:	5306-00-638-2214
ECCN:	EAR99
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)



# P/N AN42B3 Specifications

Thread Class:	За	
Thread Direction:		
	Right-hand	
Thread Length:	0.391 Inches Minimum And 0.437 Inches Maximum	
Eye Inside Diameter:	0.190 Inches Minimum And 0.192 Inches Maximum	
Shoulder Thickness:	0.062 Inches Nominal	
Shank Length:	0.453 Inches Minimum And 0.500 Inches Maximum	
Eye Stock Thickness:	0.089 Inches Minimum And 0.099 Inches Maximum	
Shoulder Diameter:	0.437 Inches Nominal	
Shank Unthreaded Hole Diameter:	0.060 Inches Minimum First Hole And 0.080 Inches Maximum First Hole	
Overall Length:	1.125 Inches Nominal	
Nominal Thread Diameter:	0.190 Inches	
Thread Quantity Per Inch:	32	
Minimum Tensile Strength:	125000 Pounds Per Square Inch	
Hardness Rating:	26.0 Rockwell C Minimum Overall And 32.0 Rockwell C Maximum Overall	
Distance From Center Of Eye To Shank End:	0.875 Inches Nominal	
Distance From Threaded End To Shank Hole Center:	0.312 Inches Minimum First Hole And 0.344 Inches Maximum First Hole	
Eye Outside Width:	0.437 Inches Nominal	
Material:	Steel Comp 4140 Overall Or Steel Comp 8740 Overall Or Steel Comp 8630 Overall Or Steel Comp 8735 Overall Or Steel Comp 4130 Overall Or Steel Comp 4037 Overall	
Material Document And Classification:	Mil-s-5626 Mil Spec 1st Material Response Overall Or Mil-s-6049 Mil Spec 2nd Material Response Overall Or Mil-s-6050 Mil Spec 3rd Material Response Overall Or Mil-s-6098 Mil Spec 4th Material Response Overall Or Mil-s-6758 Mil Spec 5th Material Response Overall Or Ams 6300 Assn Std 6th Material Response Overall	
Surface Treatment:	Cadmium Overall And Chromate Overall	
Surface Treatment Document And Classification:	Qq-p-416,ty 2 Cl 3 Fed Spec Single Treatment Response Overall	
Style Designator:	Round, Closed W/shoulder	
Thread Series Designator:	Unf	

## How to Order

Order this eye bolt from our inventory online by visiting <u>https://military-fasteners.com/bolts/eye+bolts/AN42B3</u> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <u>here</u> to complete your order.