



Military-Fasteners.com

P/N AN43B16

Description

Thread: 1/4-28, Length: 2-17/32", Thread Length: 1/2"

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model:	AN43B16
Minimum Qty (MOQ):	1 EA
NSN:	5306-00-272-2129
Schedule B:	7318.15.8085
ECCN:	EAR99
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)



* See page 2 for technical characteristics

P/N AN43B16 Specifications

Thread Class:	3a
Thread Direction:	Right-hand
Thread Length:	0.453 Inches Minimum And 0.500 Inches Maximum
Eye Inside Diameter:	0.190 Inches Minimum And 0.192 Inches Maximum
Shoulder Thickness:	0.078 Inches Nominal
Shank Length:	1.766 Inches Minimum And 1.812 Inches Maximum
Eye Stock Thickness:	0.120 Inches Minimum And 0.130 Inches Maximum
Shoulder Diameter:	0.500 Inches Nominal
Shank Unthreaded Hole Diameter:	0.066 Inches Minimum First Hole And 0.086 Inches Maximum First Hole
Overall Length:	2.531 Inches Nominal
Nominal Thread Diameter:	0.250 Inches
Thread Quantity Per Inch:	28
Minimum Tensile Strength:	125000 Pounds Per Square Inch
Hardness Rating:	26.0 Rockwell C Minimum Overall And 32.0 Rockwell C Maximum Overall
Distance From Threaded End To Shank Hole Center:	1.609 Inches Minimum First Hole And 1.641 Inches Maximum First Hole
Eye Outside Width:	0.500 Inches Nominal
Material:	Steel Comp 4140 Overall Or Steel Comp 8740 Overall Or Steel Comp 8630 Overall Or Steel Comp 8735 Overall Or Steel Comp 4130 Overall Or Steel Comp 4037 Overall
Surface Treatment:	Cadmium Overall And Chromate Overall
Surface Treatment Document And Classification:	Qq-p-416 Ty 2 Cl 3 Fed Spec Single Treatment Response Overall
Style Designator:	Round, Closed W/shoulder
Thread Series Designator:	Unf

How to Order

Order this bolt from our inventory online by visiting <https://military-fasteners.com/bolts/eye+bolts/AN43B16> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.