

# **P/N AN44-4**

## **Description**

Bolt part number

\* Manufacturer certifications are shipped with your order FREE of charge

# Order this part online

### **Additional Information**

SKU / Model: AN444

Minimum Qty (MOQ): 5 EA

NSN: 5306-00-206-3868

National Motor Freight: 093486, Bolts, nuts Or Screws, Noi (sub 3)



<sup>\*</sup> See page 2 for technical characteristics

# P/N AN44-4 Specifications

Thread Class:	3a
	Right-hand
	0.532 Inches Minimum
	0.250 Inches Minimum And 0.253 Inches Maximum
•	
	0.094 Inches Nominal
•	0.578 Inches Minimum And 0.625 Inches Maximum
_,	0.188 Inches Nominal
Shoulder Diameter:	0.625 Inches Nominal
Shank Unthreaded Hole Diameter:	0.106 Inches Nominal First Hole
Overall Length:	1.484 Inches Nominal
Nominal Thread Diameter:	0.312 Inches
Thread Quantity Per Inch:	24
Minimum Tensile Strength:	125000 Pounds Per Square Inch
Hardness Rating:	26.0 Rockwell C Minimum Overall And 32.0 Rockwell C Maximum Overall
Distance From Center Of Eye To Shank End:	1.124 Inches Nominal
Distance From Threaded End To Shank Hole Center:	0.500 Inches Nominal First Hole
Eye Outside Width:	0.625 Inches Nominal
Material:	Steel Comp 4140 Overall Or Steel Comp 8740 Overall Or Steel Comp 8630 Overall Or Steel Comp 8735 Overall Or Steel Comp 4130 Overall Or Steel Comp 4037 Overall
Material Document And Classification:	Mil-s-5626 Mil Spec 1st Material Response Overall Or Mil-s-6049 Mil Spec 2nd Material Response Overall Or Mil-s-6050 Mil Spec 3rd Material Response Overall Or Mil-s-6098 Mil Spec 4th Material Response Overall Or Mil-s-6758 Mil Spec 5th Material Response Overall Or Mil-s-8695 Mil Spec 6th Material Response Overall
Surface Treatment:	Cadmium Overall And Chromate Overall
Surface Treatment Document And Classification:	Qq-p-416,type 2,class 3 Fed Spec Single Treatment Response Overall
Style Designator:	Round, Closed W/shoulder
Thread Series Designator:	Unf

# Order this bolt from our inventory online by visiting <a href="https://military-fasteners.com/bolts/eye+bolts/AN44-4">https://military-fasteners.com/bolts/eye+bolts/AN44-4</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/bolts/eye+bolts/AN44-4">https://military-fasteners.com/bolts/eye+bolts/AN44-4</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/bolts/eye+bolts/AN44-4">https://military-fasteners.com/bolts/eye+bolts/AN44-4</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/bolts/eye+bolts/AN44-4">https://military-fasteners.com/bolts/eye+bolts/AN44-4</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/bolts/eye+bolts/AN44-4">https://military-fasteners.com/bolts/eye+bolts/AN44-4</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/bolts/eye+bolts/AN44-4">https://military-fasteners.com/bolts/eye+bolts/AN44-4</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/bolts/eye+bolts/AN44-4">https://military-fasteners.com/bolts/eye+bolts/AN44-4</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/bolts/eye+bolts/AN44-4">https://military-fasteners.com/bolts/eye+bolts/AN44-4</a> and selecting the your cart you can check out <a href="https://military-fasteners.com/bolts/eye+bolts/AN44-4">https://military-fasteners.com/bolts/eye+bolts/AN44-4</a> and selecting the your cart you can check out <a href="https://military-fasteners.com/bolts/