

**Description**

Mounting Bracket part number

\* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	AN743BZ13
Minimum Qty (MOQ):	10
NSN:	5340-00-822-6114
ECCN:	EAR99
National Motor Freight:	013120, Aluminum Article Noi Sub 6



\* See page 2 for technical characteristics

# P/N AN743BZ13 Specifications

First Leg Length:	0.615 Inches Minimum And 0.635 Inches Maximum
Second Leg Length:	0.990 Inches Minimum And 1.010 Inches Maximum
Reinforcement Method (non-core):	Beaded Both Sides
Second Leg Width:	0.490 Inches Minimum And 0.510 Inches Maximum
First Leg Hole Diameter:	0.194 Inches Minimum And 0.214 Inches Maximum
Second Leg Hole Diameter:	0.118 Inches Minimum And 0.138 Inches Maximum
Second Leg Distance Between Hole Centers Along Length:	0.365 Nominal Mils And 0.385 Nominal Centimeters
Second Leg Distance From Edge To Hole Center Along Width:	0.240 Inches Minimum And 0.260 Inches Maximum
Second Leg Distance From Edge To Hole Center Along Length:	0.240 Inches Minimum And 0.260 Inches Maximum
First Leg Thickness:	0.053 Inches Minimum And 0.073 Inches Maximum
Second Leg Thickness:	0.053 Inches Minimum And 0.073 Inches Maximum
First Leg Width:	0.490 Inches Minimum And 0.510 Inches Maximum
First Leg Distance From Edge To Hole Center Along Width:	0.240 Inches Minimum And 0.260 Inches Maximum
First Leg Distance From Edge To Hole Center Along Length:	0.240 Inches Minimum And 0.260 Inches Maximum
First Leg End Radius:	0.240 Inches Minimum And 0.260 Inches Maximum
Second Leg End Radius:	0.240 Inches Minimum And 0.260 Inches Maximum
First Leg Style:	End Radius
First Leg Hole Arrangement Style:	One Hole
Second Leg Style:	End Radius
Second Leg Hole Arrangement Style:	Two Holes
Second Leg Relationship To First Leg:	Not Identical
First Leg Angle:	90.0 Degrees Nominal
Material:	Aluminum Alloy 2024
Material Document And Classification:	Qq-a-250/5,alclad T3 Fed Spec Single Material Response
Surface Treatment:	Anodize
Surface Treatment Document And Classification:	Mil-a-8625,ty1 Or Ty2 Mil Spec Single Treatment Response
Style Designator:	Angle

## How to Order

Order this mounting bracket from our inventory online by visiting <https://military-fasteners.com/brackets/mounting+brackets/AN743BZ13> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.