

**Description**

Length: 1-1/2", Thickness: 3/4"

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

SKU / Model:	AN7764S
Minimum Qty (MOQ):	1 EA
NSN:	4730-00-274-7020
National Motor Freight:	052190, Pipe,tubing,or Pipe Or Tubing Fitti



# P/N AN776-4S Specifications

<b>Thread Class:</b>	3a
<b>Thread Class:</b>	3a All Connections
<b>Thread Direction:</b>	Right-hand
<b>Thread Direction:</b>	Right-hand All Connections
<b>Overall Length:</b>	1.531 Inches Nominal
<b>Overall Width:</b>	0.796 Inches Minimum And 0.828 Inches Maximum
<b>Thickness:</b>	0.687 Inches Minimum And 0.697 Inches Maximum
<b>Thread Size:</b>	7/16 In.-20
<b>Thread Size:</b>	7/16 In.-20 All Connections
<b>Thread Provision:</b>	Threaded
<b>Thread Provision:</b>	Threaded All Connections
<b>End Item Identification:</b>	Aircraft Application;aircraft Hercules, C-130
<b>Connection Style:</b>	Flared
<b>Connection Style:</b>	Flared All Connections
<b>Bolt Hole Diameter:</b>	0.438 Inches Nominal
<b>Seat Angle In Deg:</b>	37.0
<b>Seat Angle In Deg:</b>	37.0 All Connections
<b>Screw Thread Series Designator:</b>	Unjf
<b>Screw Thread Series Designator:</b>	Unjf All Connections
<b>Seat:</b>	Included
<b>Seat:</b>	Included All Connections
<b>Fluid Connection Quantity:</b>	1
<b>Fluid Connection Quantity:</b>	1 All Connections
<b>Fluid Conveyance Type And Size For Which Designed:</b>	1/4 In. Od Tube
<b>Bolt Hole Flats Serrations:</b>	Provided
<b>Bolt Hole Fluid Passage:</b>	Provided
<b>Criticality Code Justification:</b>	Feat
<b>Special Features:</b>	Weapon System Essential
<b>Material:</b>	Steel, Qq-s-763, Class 347
<b>Material:</b>	Steel Comp 347

<b>Surface Treatment:</b>	Passivate
<b>Style Designator:</b>	1 Fluid Connection
<b>Surface Treatment:</b>	Passivated, Qq-p-35
<b>Specification/standard Data:</b>	88044-an776 Government Standard And 81343-as4875/1 Professional/industrial Association Standard
<b>Specification/standard Data:</b>	81343-as5162 Professional/industrial Association Standard And 81343-as4875/1 Professional/industrial Association Standard

## How to Order

Order this fitting from our inventory online by visiting <https://military-fasteners.com/fittings/fluid+pressure+multiple+connectors/AN776-4S> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.