

P/N AN806J4

Description

tube outer diameter: 1/4", thread: 7/16-20, 37 degree, flared tube plug, corrosion resistant steel, AN806 series fitting

* Manufacturer certifications are shipped with your order EREE of charge

Order this part online

Additional Information

SKU / Model:	AN806J4
Minimum Qty (MOQ):	2
NSN:	4730-00-541-6937
Schedule B:	7307.22.5000
ECCN:	9A991

052190, Pipe, tubing, or Pipe Or Tubing Fitti



National Motor Freight:

^{*} See page 2 for technical characteristics

P/N AN806J4 Specifications

Thread Class:	3a External
Thread Direction:	Right-hand External
Head Height:	0.184 Inches Nominal
Overall Length:	0.734 Inches Nominal
Connection Style:	Flared
Nominal Thread Size:	0.438 Inches External
Seat Angle:	37.0 Degrees
Material:	Steel Comp 304 Overall
Material Document And Classification:	66 Fed Std Single Material Response Overall
Surface Treatment:	Passivate Overall
Surface Treatment Document And Classification:	Mil-s-5002 Mil Spec Single Treatment Response Overall
Style Designator:	Plug, Tube Fitting Flared (note: Drilled Hole Is Optional Should Not Be Considered As A Separating Characteristic
Style Designator:	Plug, Tube Fitting Flared (note: Drilled Hole Is Optional, Should Not Be Considered As A Separating Characteristic)
Thread Series Designator:	Unf External

How to Order

Order this threaded tube fitting plug from our inventory online by visiting https://military-fasteners.com/fittings/threaded+tube+fitting+plugs/AN806]4 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/fittings/threaded+tube+fitting+plugs/AN806]4 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/fittings/threaded+tube+fitting+plugs/AN806]4 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/fittings/threaded+tube+fitting+plugs/AN806]4 and selecting the plugs of the p