

Description

Outer diameter: 5/16", flared tube fitting, pressure seal corrosion resistant steel, gray color, military standard MIL-F-5509, AN929 series cap

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information**Alternate Part Numbers**

[AN9295J](#)

SKU / Model:	AN9295J
Minimum Qty (MOQ):	2
NSN:	4730-00-541-1207
Schedule B:	7318.15.5030
ECCN:	EAR99
National Motor Freight:	052190, Pipe,tubing,or Pipe Or Tubing Fitti



* See page 2 for technical characteristics

P/N AN929-5J Specifications

Thread Class:	3b Internal
Thread Direction:	Right-hand Internal
Tube Outside Diameter For Which Designed:	0.312 Inches Nominal
Connection Style:	Pressure Seal Flared
Nominal Thread Size:	0.500 Inches Internal
Seat Angle:	37.0 Degrees
Material:	Steel Comp 304 Overall
Material Document And Classification:	Qq-s-763 Fed Spec Single Material Response Overall
Surface Treatment:	Passivate Overall
Surface Treatment Document And Classification:	Mil-s-5002 Mil Spec Single Treatment Response Overall
Style Designator:	Cap, Tube, Flared
Thread Series Designator:	Unf Internal
Specification/standard Data:	88044-an929 Government Standard And 81343-as4841 Professional/industrial Association Standard

How to Order

Order this tube cap from our inventory online by visiting <https://military-fasteners.com/fittings/tube+caps/AN929-5J> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.