

**Description**

Outer diameter: 5/16", flared tube fitting, pressure seal corrosion resistant steel, gray color, military standard MIL-F-5509, AN929 series cap

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information****Alternate Part Numbers**

[AN9295J](#)

SKU / Model:	AN9295J
Minimum Qty (MOQ):	2
NSN:	4730-00-541-1207
Schedule B:	7318.15.5030
ECCN:	EAR99
National Motor Freight:	052190, Pipe,tubing,or Pipe Or Tubing Fitti



\* See page 2 for technical characteristics

## P/N AN929-5J Specifications

<b>Thread Class:</b>	3b Internal
<b>Thread Direction:</b>	Right-hand Internal
<b>Tube Outside Diameter For Which Designed:</b>	0.312 Inches Nominal
<b>Connection Style:</b>	Pressure Seal Flared
<b>Nominal Thread Size:</b>	0.500 Inches Internal
<b>Seat Angle:</b>	37.0 Degrees
<b>Material:</b>	Steel Comp 304 Overall
<b>Material Document And Classification:</b>	Qq-s-763 Fed Spec Single Material Response Overall
<b>Surface Treatment:</b>	Passivate Overall
<b>Surface Treatment Document And Classification:</b>	Mil-s-5002 Mil Spec Single Treatment Response Overall
<b>Style Designator:</b>	Cap, Tube, Flared
<b>Thread Series Designator:</b>	Unf Internal
<b>Specification/standard Data:</b>	88044-an929 Government Standard And 81343-as4841 Professional/industrial Association Standard

## How to Order

Order this tube cap from our inventory online by visiting <https://military-fasteners.com/fittings/tube+caps/AN929-5J> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.