

# P/N AN960JD2L

### **Description**

size: #2, thickness 1/64", aluminum alloy (2024-t3), chemical treated finish (gold colored)

\* Manufacturer certifications are shipped with your order FREE of charge

### Order this part online

#### **Additional Information**

SKU / Model: AN960JD2L

Minimum Qty (MOQ): 100

NSN: 5310-01-467-2333

National Motor Freight: 093486, Bolts, nuts Or Screws, Noi (sub 3)



<sup>\*</sup> See page 2 for technical characteristics

## P/N AN960JD2L Specifications

Cross-sectional Shape Style:	Rectangular
Hole Diameter:	0.089 Inches Minimum And 0.109 Inches Maximum
Peripheral Shape Style:	Round
Center Hole Shape Style:	1 Round
Thickness:	0.013 Inches Minimum And 0.019 Inches Maximum
Overall Diameter:	0.245 Inches Minimum And 0.270 Inches Maximum
Material:	Aluminum Alloy 2024 Overall
Material Document And Classification:	Qqa-250/5 Fed Spec Single Material Response Overall
Surface Treatment:	Chromate Overall
Surface Treatment Document And Classification:	Mil-c-5541, Cl 3 Mil Spec Single Treatment Response Overall

## **How to Order**

Order this flat washer from our inventory online by visiting <a href="https://military-fasteners.com/washers/flat+washers/AN960JD2L">https://military-fasteners.com/washers/flat+washers/AN960JD2L</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/washers/flat+washers/AN960JD2L">https://military-fasteners.com/washers/flat+washers/AN960JD2L</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/washers/flat+washers/AN960JD2L">https://military-fasteners.com/washers/flat+washers/AN960JD2L</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/washers/flat+washers/AN960JD2L">https://military-fasteners.com/washers/flat+washers/AN960JD2L</a> and selecting the quantity you want then