

Description

tube outer diameter: 1/4", thread: 7/16-20, 45 degree, flared tube and universal, corrosion resistant steel, new revision, AS1040 series fitting

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information**Alternate Part Numbers**

[AN837-4j](#)

SKU / Model:	AS1040J0404
Minimum Qty (MOQ):	1
NSN:	4730-00-803-7439
Schedule B:	7307.22.5000
ECCN:	EAR99
National Motor Freight:	052190, Pipe,tubing,or Pipe Or Tubing Fitti



P/N AS1040J0404 Specifications

Thread Class:	3a 1st End Bulkhead
Thread Class:	3a All Ends
Connection Style:	Flared (tube) All Ends
Leg Length:	1.531 Inches Nominal 1st End
Leg Length:	0.703 Inches Nominal 2nd End
Connection Type:	Threaded External Tube 1st End Bulkhead
Connection Type:	Threaded External Tube All Ends
Nominal Thread Size:	0.438 Inches 1st End Bulkhead
Nominal Thread Size:	0.438 Inches All Ends
Seat Angle:	37.0 Degrees All Ends
Flow Angle:	45.0 Degrees
Nominal Outside Diameter Tube Accommodated:	0.250 Inches 1st End
Nominal Outside Diameter Tube Accommodated:	0.250 Inches 2nd End
Material:	Steel Comp 304 Overall
Material Document And Classification:	66 Fed Std Single Material Response Overall
Surface Treatment:	Passivate Overall
Thread Series Designator:	Unjf All Ends
Thread Series Designator:	Unjf 1st End Bulkhead
Specification/standard Data:	81343-as1040 Manufacturers Standard

How to Order

Order this tube elbow from our inventory online by visiting <https://military-fasteners.com/fittings/tube+elbows/AS1040J0404> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.