

Description

internal pipe thread: 1/8" external pipe thread: 1/4", pipe thread reducer - aluminum

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

|                         |                                |
|-------------------------|--------------------------------|
| SKU / Model:            | AS4861D01                      |
| Minimum Qty (MOQ):      | 2                              |
| NSN:                    | 4730-00-194-0204               |
| National Motor Freight: | 051400, Pipe Fittings Aluminum |



\* See page 2 for technical characteristics

## P/N AS4861D01 Specifications

|   |   |
|---|---|
| <b>End Item Identification:</b>                 | Grumman Aerospace A-10 Aircraft   |
| <b>External Thread Size:</b>                    | 1/4-18  |
| <b>Internal Thread Size:</b>                    | 1/8-27  |
| <b>Working Pressure And Service Type:</b>       | 3000.0 Pounds Per Square Inch Nominal Gas Err-100 Err-100                                     |
| <b>Working Pressure And Service Type:</b>       | 3000.0 Pounds Per Square Inch Nominal Oil Err-100 Err-100                                     |
| <b>Working Pressure And Service Type:</b>       | 3000.0 Pounds Per Square Inch Nominal Water Err-100 Err-100                                   |
| <b>Working Pressure And Service Type:</b>       | 3000.0 Pounds Per Square Inch Nominal Gas   |
| <b>Working Pressure And Service Type:</b>       | 3000.0 Pounds Per Square Inch Nominal Oil   |
| <b>Working Pressure And Service Type:</b>       | 3000.0 Pounds Per Square Inch Nominal Water   |
| <b>Working Temp And Service Type:</b>           | 225.0 Deg Fahrenheit Nominal Water Err-100 Err-100  |
| <b>Working Temp And Service Type:</b>           | 225.0 Deg Fahrenheit Nominal Gas Err-100 Err-100  |
| <b>Working Temp And Service Type:</b>           | 225.0 Deg Fahrenheit Nominal Gas  |
| <b>Working Temp And Service Type:</b>           | 225.0 Deg Fahrenheit Nominal Water  |
| <b>External Screw Thread Series Designator:</b> | Anpt  |
| <b>External Thread Direction:</b>               | Right-hand  |
| <b>Internal Screw Thread Series Designator:</b> | Anpt  |
| <b>Internal Thread Direction:</b>               | Right-hand  |
| <b>Material:</b>                                | Aluminum Alloy, Qq-a-225/4, Alloy 2014, T6  |
| <b>Material:</b>                                | Aluminum Alloy 2014   |
| <b>Material Document And Classification:</b>    | Qq-a-225/4, Alloy 2014, T6 Fed Spec Single Material Response                                  |
| <b>Surface Treatment:</b>                       | Anodize   |
| <b>Style Designator:</b>                        | N1 Outside Hexagon Or Octagon (partial Or Full Thread Optional)                               |
| <b>Style Designator:</b>                        | Outside Hexagon Or Octagon (partial Or Full Thread Optional)                                  |
| <b>Surface Treatment:</b>                       | Anodized, Mil-a-8625  |
| <b>Specification/standard Data:</b>             | 81343-as4842 Professional/industrial Association Standard And 88044-an912 Government Standard |

## How to Order

Order this pipe bushing from our inventory online by visiting <https://military-fasteners.com/fittings/pipe+bushings/AS4861D01> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.