

## **P/N AS4861D04**

### **Description**

internal pipe thread: 3/8" external pipe thread: 1/2", pipe thread reducer - aluminum

\* Manufacturer certifications are shipped with your order FREE of charge

## Order this part online

#### **Additional Information**

SKU / Model:	AS4861D04
Minimum Qty (MOQ):	2
NSN:	4730-00-194-0207
National Motor Freight:	051400, Pipe Fittings Aluminum



<sup>\*</sup> See page 2 for technical characteristics

# P/N AS4861D04 Specifications

Aircraft, F-16 (fighting Falcon)
1/2-14
3/8-18
3000.0 Pounds Per Square Inch Nominal Gas Err-100 Err-100
3000.0 Pounds Per Square Inch Nominal Oxygen, Gaseous Err-100 Err-100
3000.0 Pounds Per Square Inch Nominal Gas
3000.0 Pounds Per Square Inch Nominal Oxygen, Gaseous
225.0 Deg Fahrenheit Nominal Oxygen, Gaseous Err-100 Err-100
225.0 Deg Fahrenheit Nominal Air Err-100 Err-100
225.0 Deg Fahrenheit Nominal Hydraulic Oil Err-100 Err-100
225.0 Deg Fahrenheit Nominal Air
225.0 Deg Fahrenheit Nominal Hydraulic Oil
225.0 Deg Fahrenheit Nominal Oxygen, Gaseous
Anpt
Right-hand
Anpt
Right-hand
Feat
Weapon System Essential
Aluminum Alloy, Qq-a-225/4, Alloy 2014, T6
Aluminum Alloy 2014
Qq-a-225/4, Alloy 2014, T6 Fed Spec Single Material Response
Anodize
N1 Outside Hexagon Or Octagon (partial Or Full Thread Optional)
Outside Hexagon Or Octagon (partial Or Full Thread Optional)
Anodized, Mil-a-8625, Type 2, Class 2
88044an912 Government Standard And 81343-as4842 Professional/industrial Association Standard

# **How to Order**

