

P/N AS5174D0505

Description

AS5174D0505 Tube Nipple

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model:	AS5174D0505
Minimum Qty (MOQ):	5
NSN:	4730-00-866-1835
ECCN:	EAR99
National Motor Freight:	051400, Pipe Fittings Aluminum



^{*} See page 2 for technical characteristics

P/N AS5174D0505 Specifications

Thread Class:	3a All Ends
Maximum Operating Temp:	225.0 Deg Fahrenheit Single Response
Connection Type:	Threaded External Tube All Ends
Nominal Thread Size:	0.500 Inches All Ends
Seat Angle:	37.0 Degrees All Ends
Nominal Outside Diameter Tube Accommodated:	0.313 Inches All Ends
Nominal Overall Length:	1.250 Inches
Special Features:	Supports Grumman A10 Aircraft
Material:	Aluminum Alloy Overall
Material Document And Classification:	11-a-225/4,t6 Fed Spec 1st Material Response Overall Or Qq-a-225.6,t6 Fed Spec 2nd Material Response Overall
Media For Which Designed:	Hydraulic Fluid Single Response
Surface Treatment:	Anodize Overall
Surface Treatment Document And Classification:	Mil-a-8625,ty 2,cl 2,aodized Blue Mil Spec Single Treatment Response Overall
Thread Series Designator:	Unjf All Ends
Specification/standard Data:	81343-as5174 Professional/industrial Association Standard

How to Order

Order this tube nipple from our inventory online by visiting https://military-fasteners.com/fittings/tube+nipples/AS5174D0505 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/fittings/tube+nipples/AS5174D0505 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/fittings/tube+nipples/AS5174D0505 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/fittings/tube+nipples/AS5174D0505 and selecting the quantity you want https://military-fasteners.com/fittings/tube-nipples/AS5174D0505 and selecting the property of the propert