

Description

Outer diameter: 1/2", thread: 3/4-16, corrosion resistant stainless steel, male to male reducer, external thread, flared tube, large end, new revision, AS5174 series fitting

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information**Alternate Part Numbers**

[AN919-12J](#)

SKU / Model:	AS5174J0806
Minimum Qty (MOQ):	1
NSN:	4730-00-684-7162
Schedule B:	7307.22.1000
ECCN:	EAR99
National Motor Freight:	052190, Pipe,tubing,or Pipe Or Tubing Fitti



P/N AS5174J0806 Specifications

Thread Class:	3a 2nd End
Thread Class:	3a 1st End
Reducer Type:	Concentric
Connection Style:	Flared (tube) 1st End
Connection Style:	Flared (tube) 2nd End
Connection Type:	Threaded External Tube 1st End
Connection Type:	Threaded External Tube 2nd End
Nominal Thread Size:	0.562 Inches 2nd End
Nominal Thread Size:	0.750 Inches 1st End
Seat Angle:	37.0 Degrees 1st End
Seat Angle:	37.0 Degrees 2nd End
Nominal Outside Diameter Tube Accommodated:	0.375 Inches 2nd End
Nominal Outside Diameter Tube Accommodated:	0.500 Inches 1st End
Nominal Overall Length:	1.531 Inches
Material:	Steel Corrosion Resisting Overall
Surface Treatment:	Passivate Overall
Thread Series Designator:	Unjf 2nd End
Thread Series Designator:	Unjf 1st End

How to Order

Order this boss reducer from our inventory online by visiting <https://military-fasteners.com/fittings/boss+reducers/AS5174J0806> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.