

Description

Tube outer diameter: 3/8in. pipe diameter: 3/8in., thread: 9/16-18, straight pipe, flared tube corrosion resistant steel, AS5194 series fitting

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information**Alternate Part Numbers**

[AN816-6-6J](#)

SKU / Model:	AS5194J0606
Minimum Qty (MOQ):	1
NSN:	4730-00-722-4896
Schedule B:	7307.21.5000
ECCN:	EAR99
National Motor Freight:	052190, Pipe,tubing,or Pipe Or Tubing Fitti



P/N AS5194J0606 Specifications

Thread Class:	3a 2nd End
Connection Style:	Flared W/ Gasket Seal (boss) 2nd End
Connection Style:	Plain (pipe) 1st End
Connection Type:	Threaded External Boss 2nd End
Connection Type:	Threaded External Pipe 1st End
Nominal Thread Size:	0.375 Inches 1st End
Nominal Thread Size:	0.562 Inches 2nd End
Nominal Overall Length:	1.406 Inches
Special Features:	Fleet Ballistic Missile Quality As Identified By Quality Control No.poso913448
Material:	Steel Comp 304 Overall
Material Document And Classification:	66 Fed Std Single Material Response Overall
Surface Treatment:	Passivate Overall
Thread Series Designator:	Anpt 1st End
Thread Series Designator:	Unjf 2nd End
Specification/standard Data:	88044-an816 Government Standard And 81343-as4842/1 Professional/Industrial Association Standard

How to Order

Order this straight pipe to boss adapter from our inventory online by visiting <https://military-fasteners.com/fittings/straight+pipe+to+boss+adapters/AS5194J0606> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.