

Description

tube outer diameter: 1/4", thread: 7/16-20, flared tube, 3/8 bulkhead and universal, corrosion resistant steel, new revision, AS5406 series fitting

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information**Alternate Part Numbers**

[AN832-4J](#)

SKU / Model:	AS5406J04
Minimum Qty (MOQ):	1
NSN:	4730-01-011-6192
Schedule B:	7307.22.5000
ECCN:	EAR99
National Motor Freight:	052190, Pipe,tubing,or Pipe Or Tubing Fitti



P/N AS5406J04 Specifications

Thread Class:	3a 1st End Bulkhead
Thread Class:	3a All Ends
Connection Style:	Flared (tube) All Ends
Connection Type:	Threaded External Tube All Ends
Nominal Thread Size:	0.438 Inches 1st End Bulkhead
Nominal Thread Size:	0.438 Inches All Ends
Seat Angle:	37.0 Degrees All Ends
Nominal Outside Diameter Tube Accommodated:	0.250 Inches 1st End Bulkhead
Nominal Outside Diameter Tube Accommodated:	0.250 Inches All Ends
Nominal Overall Length:	2.047 Inches
Special Features:	Used On Grumman Aircraft,model A10
Material:	Steel Comp 304 Overall
Material Document And Classification:	66 Fed Std Single Material Response Overall
Surface Treatment:	Passivate Outside
Surface Treatment Document And Classification:	Qq-p-35,ty 1 Fed Spec Single Treatment Response Outside
Style Designator:	Flared W/ Bulkhead Thread
Thread Series Designator:	Unjf All Ends
Thread Series Designator:	Unjf 1st End Bulkhead
Specification/standard Data:	96906-ms24393 Government Standard

How to Order

Order this tube nipple from our inventory online by visiting <https://military-fasteners.com/fittings/tube+nipples/AS5406J04> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.