



Military-Fasteners.com

P/N AS5406J08

Description

Outer diameter: 1/2", thread: 3/4-16, flared tube, 3/8 bulkhead and universal, corrosion resistant steel, fine thread, AS5406 series fitting

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

Alternate Part Numbers

[AN832-8J](#)

SKU / Model:	AS5406J08
Minimum Qty (MOQ):	1
NSN:	4730-00-698-4034
Schedule B:	7307.22.5000
ECCN:	9A991.d
National Motor Freight:	052190, Pipe,tubing,or Pipe Or Tubing Fitti



* See page 2 for technical characteristics

P/N AS5406J08 Specifications

Thread Class:	3a 1st End Bulkhead
Thread Class:	3a All Ends
Connection Style:	Flared (tube) 1st End
Connection Style:	Flared W/ Gasket Seal (boss) 2nd End
Connection Type:	Threaded External Boss 2nd End
Connection Type:	Threaded External Tube 1st End
Nominal Thread Size:	0.750 Inches 1st End Bulkhead
Nominal Thread Size:	0.750 Inches All Ends
Seat Angle:	37.0 Degrees 1st End
Nominal Outside Diameter Tube Accommodated:	0.500 Inches 1st End
Nominal Overall Length:	2.453 Inches
Material:	Steel Comp 304 Overall
Material Document And Classification:	66 Fed Std Single Material Response Overall
Surface Treatment:	Passivate Overall
Thread Series Designator:	Unjf All Ends
Thread Series Designator:	Unjf 1st End Bulkhead
Specification/standard Data:	81343-as5406 Government Standard And 81343-as4841 Professional/Industrial Association Standard

How to Order

Order this straight tube to boss adapter from our inventory online by visiting <https://military-fasteners.com/fittings/straight+tube+to+boss+adapters/AS5406J08> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.