

**Description**

Outer diameter: 1/2", thread: 3/4-16, flared tube, 3/8 bulkhead and universal, corrosion resistant steel, fine thread, AS5406 series fitting

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information****Alternate Part Numbers**

[AN832-8J](#)

SKU / Model:	AS5406J08
Minimum Qty (MOQ):	1
NSN:	4730-00-698-4034
Schedule B:	7307.22.5000
ECCN:	9A991.d
National Motor Freight:	052190, Pipe,tubing,or Pipe Or Tubing Fitti



## P/N AS5406J08 Specifications

<b>Thread Class:</b>	3a 1st End Bulkhead
<b>Thread Class:</b>	3a All Ends
<b>Connection Style:</b>	Flared (tube) 1st End
<b>Connection Style:</b>	Flared W/ Gasket Seal (boss) 2nd End
<b>Connection Type:</b>	Threaded External Boss 2nd End
<b>Connection Type:</b>	Threaded External Tube 1st End
<b>Nominal Thread Size:</b>	0.750 Inches 1st End Bulkhead
<b>Nominal Thread Size:</b>	0.750 Inches All Ends
<b>Seat Angle:</b>	37.0 Degrees 1st End
<b>Nominal Outside Diameter Tube Accommodated:</b>	0.500 Inches 1st End
<b>Nominal Overall Length:</b>	2.453 Inches
<b>Material:</b>	Steel Comp 304 Overall
<b>Material Document And Classification:</b>	66 Fed Std Single Material Response Overall
<b>Surface Treatment:</b>	Passivate Overall
<b>Thread Series Designator:</b>	Unjf All Ends
<b>Thread Series Designator:</b>	Unjf 1st End Bulkhead
<b>Specification/standard Data:</b>	81343-as5406 Government Standard And 81343-as4841 Professional/Industrial Association Standard

## How to Order

Order this straight tube to boss adapter from our inventory online by visiting <https://military-fasteners.com/fittings/straight+tube+to+boss+adapters/AS5406J08> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.