

**Description**

Machine Bolt part number

\* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

|                    |                  |
|--------------------|------------------|
| SKU / Model:       | BACB30NM4K3      |
| Minimum Qty (MOQ): | 5                |
| NSN:               | 5306-01-522-9854 |
| Schedule B:        | 8108.90.3060     |
| ECCN:              | EAR99            |



NO IMAGE  
AVAILABLE

## P/N BACB30NM4K3 Specifications

|  |  |
|--|--|
| <b>Thread Class:</b>                                     | 3a   |
| <b>Thread Direction:</b>                                 | Right-hand   |
| <b>Thread Length:</b>                                    | 0.425 Inches Nominal   |
| <b>Fastener Length:</b>                                  | 0.5975 Inches Minimum And 0.6275 Inches Maximum  |
| <b>Head Style:</b>                                       | Hexagon  |
| <b>Head Height:</b>                                      | 0.125 Inches Minimum And 0.140 Inches Maximum  |
| <b>Width Between Flats:</b>                              | 0.430 Inches Minimum And 0.439 Inches Maximum  |
| <b>Grip Diameter:</b>                                    | 0.2481 Inches Minimum And 0.2495 Inches Maximum  |
| <b>End Item Identification:</b>                          | Boeing 757 Aircraft  |
| <b>Nominal Thread Diameter:</b>                          | 0.2500 Inches  |
| <b>Grip Length:</b>                                      | 0.1875 Inches Nominal  |
| <b>Thread Quantity Per Inch:</b>                         | 28   |
| <b>Minimum Tensile Strength:</b>                         | 160000 Pounds Per Square Inch  |
| <b>Surface Finish:</b>                                   | 32.0 Microinches Grip  |
| <b>Surface Finish:</b>                                   | 32.0 Microinches Head  |
| <b>Surface Finish:</b>                                   | 63.0 Microinches Bearing Surface Of Head   |
| <b>Part Name Assigned By Controlling Agency:</b>         | Bolt, Hex Head   |
| <b>Special Features:</b>                                 | 6al-4v Titanium  |
| <b>Material:</b>   | Titanium Alloy Uns R56400 Overall  |
| <b>Material Document And Classification:</b>             | Ams4967 Assn Std Single Material Response Or Ams4928 Assn Std Single Material Response Overall |
| <b>Surface Treatment:</b>                                | Aluminum Overall   |
| <b>Surface Treatment Document And Classification:</b>    | Bms10-85, Type 1, Class A Mfr Ref Single Treatment Response Overall                            |
| <b>Thread Series Designator:</b>                         | Unjf   |
| <b>Reference Number Differentiating Characteristics:</b> | Item Is Faa Certified  |

## How to Order

Order this machine bolt from our inventory online by visiting <https://military-fasteners.com/bolts/machine+bolts/BACB30NM4K3> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.