

**Description**

Thread Size: 5/32", Nut Length: 63/64", Nut Height: 3/16"

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information**

|                         |   |
|-------------------------|---|
| SKU / Model:            | BACN10EL2                                 |
| Minimum Qty (MOQ):      | 5 EA                                      |
| NSN:                    | 5310-00-369-2670                          |
| Schedule B:             | 7318.16.0085                              |
| ECCN:                   | EAR99                                     |
| National Motor Freight: | 093486, Bolts,nuts Or Screws, Noi (sub 3) |

NO IMAGE  
AVAILABLE

# P/N BACN10EL2 Specifications

|   |   |
|---|---|
| <b>Thread Class:</b>  | 3b  |
| <b>Thread Direction:</b>  | Right-hand  |
| <b>Locking Feature:</b>   | Prevailing Torque All Metal Design                            |
| <b>Lubrication:</b>   | Soluble Lubricant   |
| <b>Overall Height:</b>  | 0.470 Inches Maximum  |
| <b>Mounting Hole Diameter:</b>  | 0.098 Nominal Mils And 0.103 Nominal Centimeters              |
| <b>Nut Style:</b>   | Plate   |
| <b>Nut Length:</b>  | 0.955 Inches Minimum And 0.985 Inches Maximum                 |
| <b>Nut Height:</b>  | 0.215 Inches Maximum  |
| <b>Plate Thickness:</b>   | 0.030 Inches Nominal  |
| <b>Plate Width:</b>   | 0.375 Inches Minimum And 0.405 Inches Maximum                 |
| <b>Nut Mounting Provision:</b>  | Straight Holes  |
| <b>Mounting Hole Arrangement Style:</b>                               | 2 Holes   |
| <b>Distance From Aperture Center To Mounting Hole Center:</b>         | 0.339 Inches Minimum And 0.349 Inches Maximum                 |
| <b>Center To Center Distance Between Mounting Holes Along Length:</b> | 0.686 Inches Minimum And 0.690 Inches Maximum                 |
| <b>Temp Rating:</b>   | 450.0 Deg Fahrenheit Nominal                                  |
| <b>Thread Series:</b>   | Unc   |
| <b>Features Provided:</b>   | Floating Nut  |
| <b>Thread Quantity Per Inch:</b>                                      | 32  |
| <b>Nominal Thread Size:</b>   | 0.164 Inches  |
| <b>Material:</b>  | Steel Comp 1010 Base  |
| <b>Material:</b>  | Steel Comp 1050 Shell   |
| <b>Material:</b>  | Steel Comp 1118 Nut   |
| <b>Material Document And Classification:</b>                          | Aisi Assn Std Single Material Response Nut                    |
| <b>Material Document And Classification:</b>                          | Sae Assn Std Single Material Response Base                    |
| <b>Material Document And Classification:</b>                          | Sae Assn Std Single Material Response Shell                   |
| <b>Surface Treatment:</b>   | Cadmium Overall   |
| <b>Surface Treatment Document And Classification:</b>                 | Qq-p-416,ty 2,cl 3 Fed Spec Single Treatment Response Overall |

## How to Order

Order this nut from our inventory online by visiting [https://military-fasteners.com/nuts/clip\\_on+nuts/BACN10EL2](https://military-fasteners.com/nuts/clip_on+nuts/BACN10EL2) and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.