

# P/N BACN10JB3CD

Military-Fasteners.com

#### Description

Thread Size: 3/16", Nut Length: 15/16", Nut Height: 9/32

\* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

### Order this part online

#### **Additional Information**

SKU / Model:	BACN10JB3CD
Minimum Qty (MOQ):	10
NSN:	5310-01-310-2358
Schedule B:	7318.16.0085
ECCN:	EAR99
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)



## P/N BACN10JB3CD Specifications

Thread Class:	3b
Thread Direction:	Right-hand
Locking Feature:	Prevailing Torque All Metal Design
Lubrication:	Dry Film Lubricant
Mounting Hole Diameter:	0.098 Inches Minimum And 0.113 Inches Maximum
Nut Style:	Plate
Nut Length:	0.948 Inches Maximum
Nut Height:	0.270 Inches Minimum And 0.290 Inches Maximum
Plate Thickness:	0.025 Inches Nominal
Plate Width:	0.416 Inches Maximum
Nut Mounting Provision:	Straight Holes
Mounting Hole Arrangement Style:	2 Holes
Distance From Aperture Center To Mounting Hole Center:	0.339 Inches Minimum And 0.349 Inches Maximum
Center To Center Distance Between Mounting Holes Along Length:	0.686 Inches Minimum And 0.690 Inches Maximum
Temp Rating:	450.0 Deg Fahrenheit Maximum
Thread Series:	Unf
Features Provided:	Floating Nut
Thread Quantity Per Inch:	32
Nominal Thread Size:	0.190 Inches
Material:	Iron Alloy 660 Overall
Material Document And Classification:	Ams 5525 Assn Std Single Material Response Overall Or Ams 5737 Assn Std Single Material Response Overall
Surface Treatment:	Cadmium Overall Or Cadmium Overall And Chromate Overall
Surface Treatment Document And Classification:	Qq-p-416,ty 1,cl 2 Fed Spec 1st Treatment Response Overall Or Qq-p-416,ty 2,cl 2 Fed Spec 2nd Treatment Response Overall
Specification/standard Data:	82918-bacn10jb Manufacturers Standard

### How to Order

Order this nut from our inventory online by visiting <u>https://military-fasteners.com/nuts/clip\_on+nuts/BACN10JB3CD</u> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <u>here</u> to complete your order.