

P/N BACN10JN06CD

Military-Fasteners.com

Description

Thread Size: 1/8", Nut Length: 5/8", Nut Height: 1/8

* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

Order this part online

Additional Information

SKU / Model:	BACN10JN06CD	
Minimum Qty (MOQ):	10	
NSN:	5310-01-475-9846	
Schedule B:	7318.16.0085	
ECCN:	EAR99	
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)	



P/N BACN10JN06CD Specifications

Thread Direction:Right-handLocking Feature:Prevailing Torque All Metal DesignMounting Hole Diameter:0.098 Inches Minimum And 0.103 Inches MaximumNut Style:Plate (floating)Nut Length:0.628 Inches MaximumNut Height:0.171 Inches MaximumPlate Thickness:0.047 Inches MaximumPlate Thickness:0.047 Inches MaximumNut Mounting Provision:0.357 Inches MaximumNut Mounting Provision:0.357 Inches MaximumDistance From Aperture Center To Mounting Hole Center:0.213 Inches Minimum And 0.223 Inches MaximumCenter Distance Between Mounting Holes Along Length:0.435 Inches Minimum And 0.439 Inches MaximumCenter Distance Between Mounting Holes Along Length:0.450 Inches MaximumThread Series:UnjcThread Series:UnjcThread Quantity Per Inch:32Nominal Thread Size:0.138 InchesMaterial:Iron Allog 660 OverallMaterial Document And Classification:Ans 5525 Assn 5td Single Material Response OverallSurface Treatment:Commun Overall		
Locking Feature:Prevailing Torque All Metal DesignMounting Hole Diameter:0.098 Inches Minimum And 0.103 Inches MaximumNut Style:Plate (floating)Nut Length:0.682 Inches MaximumNut Height:0.171 Inches MaximumPlate Thickness:0.047 Inches MaximumPlate Thickness:0.047 Inches MaximumPlate Midth:0.357 Inches MaximumNut Mounting Provision:Straight HolesMut Metal Designement Style:2 HolesDistance From Aperture Center To Mounting Hole Center:0.213 Inches Minimum And 0.223 Inches MaximumCenter Distance Between Mounting Holes Along Length:Scalis Previnier(art, Stratolifter C-135)Temp Rating:Kc135r Rvsmaircraft, stratolifter C-135Temp Rating:UnjcFeatures Provided:Joannia NutThread Series:Joannia NutNominal Thread Size:32Nominal Thread Size:Torallo (S60 OverallMaterial:Toral Material Response OverallSurface Treatment:Cadmium Overall	Thread Class:	3b
Mounting Hole Diameter:0.098 Inches Minimum And 0.103 Inches MaximumNut Style:Plate (floating)Nut Length:0.682 Inches MaximumNut Height:0.682 Inches MaximumPlate Thickness:0.047 Inches MaximumPlate Width:0.357 Inches MaximumNut Mounting Provision:Straight HolesNut Mounting Hole Arrangement Style:2 HolesDistance From Aperture Center To Mounting Hole Center:0.213 Inches Minimum And 0.223 Inches MaximumCenter To Center Distance Between Mounting Holes Along Length:8.213 Inches Minimum And 0.239 Inches MaximumThread Series:0.010 Cg Fahrenheit MaximumThread Series:0.138 InchesMoniting Thread Size:0.138 InchesMoniting Thread Size:0.138 InchesMaterial Document And Classification:Sz52 Assn Std Single Material Response OverallSurface Treatment:Cardmium Overall	Thread Direction:	Right-hand
Nut Style:Plate (floating)Nut Length:0.682 Inches MaximumNut Height:0.171 Inches MaximumPlate Thickness:0.047 Inches MaximumPlate Thickness:0.357 Inches MaximumPlate Width:0.357 Inches MaximumNut Mounting Provision:Straight HolesMounting Hole Arrangement Style:2.103 Inches Minimum And 0.223 Inches MaximumDistance From Aperture Center To Mounting Hole Center:0.435 Inches Minimum And 0.439 Inches MaximumCenter To Center Distance Between Mounting Holes Along Length:0.435 Inches Minimum And 0.439 Inches MaximumEnd Item Identification:Kcl35r Rvsm:aircraft,stratolifter C-135Temp Rating:10/0Freatures Provided:Floating NulThread Quantity Per Inch:32Nominal Thread Size:0.138 InchesMaterial Document And Classification:Ams 552 Assn Std Single Material Response OverallMaterial Document And Classification:Cadmium Overall	Locking Feature:	Prevailing Torque All Metal Design
Nut Length:0.682 Inches MaximumNut Height:0.171 Inches MaximumPlate Thickness:0.047 Inches MaximumPlate Width:0.357 Inches MaximumNut Mounting Provision:0.357 Inches MaximumMounting Hole Arrangement Style:2 HolesDistance From Aperture Center To Mounting Hole Center:0.213 Inches Minimum And 0.223 Inches MaximumCenter To Center Distance Between Mounting Holes Along Length:0.435 Inches Minimum And 0.439 Inches MaximumCenter To Center Distance Between Mounting Holes Along Length:0.435 Inches Minimum And 0.439 Inches MaximumThem Identification:Kc135r Rvsm:aircraft,stratolifter C-135Themg Rating:UnjcFeatures Provided:Inches Indiany NutThread Series:UnjcPlated Quantity Per Inch:32Moninal Thread Size:0.138 InchesMaterial Document And Classification:Ams 5255 Assn Std Single Material Response OverallSurface Treatment:Cadmium Overall	Mounting Hole Diameter:	0.098 Inches Minimum And 0.103 Inches Maximum
Nut Height:0.171 Inches MaximumPlate Thickness:0.047 Inches MaximumPlate Width:0.357 Inches MaximumNut Mounting Provision:Straight HolesNut Mounting Provision:2 HolesDistance From Aperture Center To Mounting Hole Center:0.213 Inches Minimum And 0.223 Inches MaximumCenter To Center Distance Between Mounting Holes Along Length:0.435 Inches Minimum And 0.439 Inches MaximumEnd Item Identification:Kc135r Rvsm:aircraft,stratolifter C-135Temp Rating:UnjcThread Series:UnjcFeatures Provided:Floating NutThread Quantity Per Inch:32Nominal Thread Size:0.138 InchesMaterial:Iron Alloy 660 OverallMaterial Document And Classification:Ams 5525 Assn Std Single Material Response OverallSurface Treatment:Cadmium Overall	Nut Style:	Plate (floating)
Plate Thickness:0.047 Inches MaximumPlate Width:0.357 Inches MaximumNut Mounting Provision:Straight HolesMounting Hole Arrangement Style:2 HolesDistance From Aperture Center To Mounting Hole Center:0.213 Inches Minimum And 0.223 Inches MaximumCenter To Center Distance Between Mounting Holes Along Length:0.435 Inches Minimum And 0.439 Inches MaximumEnd Item Identification:Kc135r Rvsm:aircraft,stratolifter C-135Temp Rating:450.0 Deg Fahrenheit MaximumThread Series:UnjcFloating Nut124Thread Quantity Per Inch:32Nominal Thread Size:0.138 InchesMaterial:Iron Alloy 660 OverallMaterial Document And Classification:Ams 552 Sasn Std Single Material Response OverallSurface Treatment:Cadmium Overall	Nut Length:	0.682 Inches Maximum
Plate Width:0.357 Inches MaximumPlate Width:0.357 Inches MaximumNut Mounting Provision:Straight HolesMounting Hole Arrangement Style:2 HolesDistance From Aperture Center To Mounting Hole Center:0.213 Inches Minimum And 0.223 Inches MaximumCenter To Center Distance Between Mounting Holes Along Length:0.435 Inches Minimum And 0.439 Inches MaximumEnd Item Identification:Kc135r Rvsm:aircraft,stratolifter C-135Temp Rating:UnjcFeatures Provided:Floating NutThread Quantity Per Inch:32Nominal Thread Size:0.138 InchesMaterial:Iron Alloy 660 OverallMaterial Document And Classification:Ams 5525 Assn Std Single Material Response OverallSurface Treatment:Cadmium Overall	Nut Height:	0.171 Inches Maximum
Nut Mounting Provision:Straight HolesMounting Hole Arrangement Style:2 HolesDistance From Aperture Center To Mounting Hole Center:0.213 Inches Minimum And 0.223 Inches MaximumCenter To Center Distance Between Mounting Holes Along Length:0.435 Inches Minimum And 0.439 Inches MaximumEnd Item Identification:Kr135r Rvsm:aircraft,stratolifter C-135Temp Rating:450.0 Deg Fahrenheit MaximumThread Series:UnjcFatures Provided:Floating NutThread Quantity Per Inch:32Nominal Thread Size:0.138 InchesMaterialIon Alloy 600 OverallMaterial Document And Classification:Ars 5525 Assn Std Single Material Response OverallSurface Treatment:Cadmium Overall	Plate Thickness:	0.047 Inches Maximum
Mounting Hole Arrangement Style:2 HolesDistance From Aperture Center To Mounting Hole Center:0.213 Inches Minimum And 0.223 Inches MaximumCenter To Center Distance Between Mounting Holes Along Length:0.435 Inches Minimum And 0.439 Inches MaximumEnd Item Identification:Kc135r Rvsm:aircraft,stratolifter C-135Temp Rating:450.0 Deg Fahrenheit MaximumThread Series:UnjcFeatures Provided:Floating NutThread Quantity Per Inch:32Nominal Thread Size:0.138 InchesMaterial:Iron Alloy 660 OverallMaterial Document And Classification:Ams 5525 Assn Std Single Material Response OverallSurface Treatment:Cadmium Overall	Plate Width:	0.357 Inches Maximum
Distance From Aperture Center To Mounting Hole Center:0.213 Inches Minimum And 0.223 Inches MaximumDistance From Aperture Center Distance Between Mounting Holes Along Length:0.435 Inches Minimum And 0.439 Inches MaximumCenter To Center Distance Between Mounting Holes Along Length:0.435 Inches Minimum And 0.439 Inches MaximumEnd Item Identification:Kc135r Rvsm:aircraft,stratolifter C-135Temp Rating:450.0 Deg Fahrenheit MaximumThread Series:UnjcFeatures Provided:Floating NutThread Quantity Per Inch:32Nominal Thread Size:0.138 InchesMaterial:Iron Alloy 660 OverallMaterial Document And Classification:Ams 5525 Assn Std Single Material Response OverallSurface Treatment:Cadmium Overall	Nut Mounting Provision:	Straight Holes
Center To Center Distance Between Mounting Holes Along Length:0.435 Inches Minimum And 0.439 Inches MaximumEnd Item Identification:Kc135r Rvsm:aircraft,stratolifter C-135Temp Rating:450.0 Deg Fahrenheit MaximumThread Series:UnjcFeatures Provided:Floating NutThread Quantity Per Inch:32Nominal Thread Size:0.138 InchesMaterial:Iron Alloy 660 OverallMaterial:Kon S525 Assn Std Single Material Response OverallSurface Treatment:Cadmium Overall	Mounting Hole Arrangement Style:	2 Holes
End Item Identification:Kc135r Rvsm:aircraft,stratolifter C-135Temp Rating:450.0 Deg Fahrenheit MaximumThread Series:UnjcFeatures Provided:Floating NutThread Quantity Per Inch:32Nominal Thread Size:0.138 InchesMaterial:Iron Alloy 660 OverallMaterial Document And Classification:Ams 5525 Assn Std Single Material Response OverallSurface Treatment:Cadmium Overall	Distance From Aperture Center To Mounting Hole Center:	0.213 Inches Minimum And 0.223 Inches Maximum
Temp Rating:450.0 Deg Fahrenheit MaximumThread Series:UnjcFeatures Provided:Foating NutThread Quantity Per Inch:32Nominal Thread Size:0.138 InchesMaterial:ron Alloy 660 OverallMaterial Document And Classification:Ams 5525 Assn Std Single Material Response OverallSurface Treatment:Cadmium Overall	Center To Center Distance Between Mounting Holes Along Length:	0.435 Inches Minimum And 0.439 Inches Maximum
Thread Series:UnicFeatures Provided:Foating NutFread Quantity Per Inch:S2Nominal Thread Size:0.138 InchesNoterial:ron Alloy 660 OverallMaterial Document And Classification:Ams 5525 Assn Std Single Material Response OverallSurface Treatment:Cadmium Overall	End Item Identification:	Kc135r Rvsm:aircraft,stratolifter C-135
Features Provided:Floating NutThread Quantity Per Inch:32Nominal Thread Size:0.138 InchesMaterial:Iron Alloy 660 OverallMaterial Document And Classification:Ams 5525 Assn Std Single Material Response OverallSurface Treatment:Cadmium Overall	Temp Rating:	450.0 Deg Fahrenheit Maximum
Thread Quantity Per Inch:32Nominal Thread Size:0.138 InchesMaterial:Iron Alloy 660 OverallMaterial Document And Classification:Ams 5525 Assn Std Single Material Response OverallSurface Treatment:Cadmium Overall	Thread Series:	Unjc
Nominal Thread Size:0.138 InchesMaterial:Iron Alloy 660 OverallMaterial Document And Classification:Ams 5525 Assn Std Single Material Response OverallSurface Treatment:Cadmium Overall	Features Provided:	Floating Nut
Material: Iron Alloy 660 Overall Material Document And Classification: Ams 5525 Assn Std Single Material Response Overall Surface Treatment: Cadmium Overall	Thread Quantity Per Inch:	32
Material Document And Classification: Ams 5525 Assn Std Single Material Response Overall Surface Treatment: Cadmium Overall	Nominal Thread Size:	0.138 Inches
Surface Treatment: Cadmium Overall	Material:	Iron Alloy 660 Overall
	Material Document And Classification:	Ams 5525 Assn Std Single Material Response Overall
Surface Treatment Document And Classification: Qq-p-416,type Optional,class 2 Fed Spec Single Treatment Response Overall	Surface Treatment:	Cadmium Overall
	Surface Treatment Document And Classification:	Qq-p-416,type Optional,class 2 Fed Spec Single Treatment Response Overall

How to Order

Order this self-locking nutplate from our inventory online by visiting <u>https://military-fasteners.com/nuts/self_locking+nutplates/BACN10JN06CD</u> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out<u>here</u> to complete your order.