

## Description

Thread Size: 1/4", Nut Length: 3/4", Nut Height: 3/8"

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

## Additional Information

SKU / Model:	BACN10JQ42
Minimum Qty (MOQ):	1 EA
NSN:	5310-01-040-4729
Schedule B:	7318.16.0085
ECCN:	EAR99
National Motor Freight:	093486, Bolts,nuts Or Screws, Noi (sub 3)

NO IMAGE  
AVAILABLE

\* See page 2 for technical characteristics

# P/N BACN10JQ42 Specifications

Thread Class:	3b
Thread Direction:	Right-hand
Locking Feature:	Prevailing Torque All Metal Design
Counterbore Diameter:	0.254 Inches Minimum Nut
Lubrication:	Dry Film Lubricant
Mounting Hole Diameter:	0.098 Inches Minimum And 0.103 Inches Maximum
Nut Style:	Plate
Nut Length:	0.807 Inches Maximum
Nut Height:	0.349 Inches Maximum
Plate Thickness:	0.026 Inches Minimum And 0.036 Inches Maximum
Plate Width:	0.500 Inches Maximum
Nut Counterbore Depth:	0.125 Inches Minimum Nut
Nut Mounting Provision:	Straight Holes
Mounting Hole Arrangement Style:	2 Holes
Distance From Aperture Center To Mounting Hole Center:	0.276 Inches Minimum And 0.286 Inches Maximum
Center To Center Distance Between Mounting Holes Along Length:	0.560 Inches Minimum And 0.564 Inches Maximum
Temp Rating:	450.0 Deg Fahrenheit Maximum
Thread Series:	Unjf
Features Provided:	Floating Nut
Thread Quantity Per Inch:	28
Nominal Thread Size:	0.250 Inches
Special Features:	Steel Ams 6322 Or Steel Ams 6370 Optional For The Nut
Material:	Steel Comp 1030 Overall Or Steel Comp 1033 Overall Or Steel Comp 1034 Overall Or Steel Comp 1035 Overall Or Steel Comp 1536 Overall
Surface Treatment:	Cadmium Overall
Surface Treatment Document And Classification:	Qq-p-416 CI 2 Fed Spec Single Treatment Response Overall
Specification/standard Data:	81205-bacn10jq Manufacturers Standard

## How to Order

Order this locknut from our inventory online by visiting [https://military-fasteners.com/nuts/clip\\_on+nuts/BACN10JQ42](https://military-fasteners.com/nuts/clip_on+nuts/BACN10JQ42) and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.