

## P/N BACN10JR5

## **Description**

Thread Size: 1/4", Nut Length: 1-1/4", Nut Height: 3/8"

\* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

### Order this part online

#### **Additional Information**

SKU / Model: BACN10JR5

Minimum Qty (MOQ): 25 EA

NSN: 5310-01-079-5171

Schedule B: 7318.16.0085

ECCN: EAR99

National Motor Freight: 093486, Bolts, nuts Or Screws, Noi (sub 3)



<sup>\*</sup> See page 2 for technical characteristics

# **P/N BACN10JR5 Specifications**

	31.
Thread Class:	3b
Thread Direction:	Right-hand
Locking Feature:	Prevailing Torque All Metal Design
Counterbore Diameter:	0.317 Inches Minimum Nut
Lubrication:	Dry Film Lubricant
Mounting Hole Diameter:	0.130 Inches Nominal
Nut Style:	Plate
Nut Length:	1.292 Inches Maximum
Nut Height:	0.328 Inches Maximum
Plate Thickness:	0.065 Inches Maximum
Plate Width:	0.505 Inches Maximum
<b>Nut Counterbore Depth:</b>	0.060 Inches Nominal Nut
Nut Mounting Provision:	Straight Holes
Mounting Hole Arrangement Style:	2 Holes
Distance From Aperture Center To Mounting Hole Center:	0.495 Inches Minimum And 0.505 Inches Maximum
Center To Center Distance Between Mounting Holes Along Length:	0.998 Inches Minimum And 1.002 Inches Maximum
Temp Rating:	450.0 Deg Fahrenheit Maximum
Thread Series:	Unjf
Features Provided:	Floating Nut
Thread Quantity Per Inch:	24
Nominal Thread Size:	0.312 Inches
Material:	Steel Comp 1030 Overall Or Steel Comp 1034 Overall Or Steel Comp 1035 Overall Or Steel Comp 1037 Overall Or Steel Comp 1038 Overall Or Steel Comp 1039 Overall Or Steel Comp 1040 Overall Or Steel Comp 1541 Overall Or Steel Comp 1042 Overall Or Steel Comp 1043 Overall Or Steel Comp 1044 Overall Or Steel Comp 1045 Overall Or Steel Comp 1046 Overall Or Steel Comp 1548 Overall Or Steel Comp 1049 Overall Or Steel Comp 1050 Overall Or Steel Comp 1552 Overall Or Steel Comp 1053 Overall Or Steel Comp 1055 Overall Or Steel Comp 1070 Overall Or Steel Comp 1060 Overall Or Steel Comp 1070 Overa
Material Document And Classification:	Sae Assn Std All Material Responses Overall

Surface Treatment:	Cadmium Overall
Surface Treatment Document And Classification:	Qq-p-416,cl 3 Fed Spec Single Treatment Response Overall
Specification/standard Data:	81205-bacn10jr Manufacturers Standard

## **How to Order**

Order this plate - two lug locknut from our inventory online by visiting <a href="https://military-fasteners.com/nuts/clip\_on+nuts/BACN10JR5">https://military-fasteners.com/nuts/clip\_on+nuts/BACN10JR5</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/nuts/clip\_on+nuts/BACN10JR5">https://military-fasteners.com/nuts/clip\_on+nuts/BACN10JR5</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/nuts/clip\_on+nuts/BACN10JR5">https://military-fasteners.com/nuts/clip\_on+nuts/BACN10JR5</a> and selecting the quantity you