

Description

Thread Size: 3/16", Nut Length: 63/64", Nut Height: 5/16"

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

| | |
|-------------------------|---|
| SKU / Model: | BACN10JZ3A2U |
| Minimum Qty (MOQ): | 5 EA |
| NSN: | 5310-01-057-3104 |
| National Motor Freight: | 093486, Bolts,nuts Or Screws, Noi (sub 3) |

NO IMAGE
AVAILABLE

P/N BACN10JZ3A2U Specifications

| | |
|---|---|
| Thread Class: | 3b |
| Thread Direction: | Right-hand |
| Locking Feature: | Prevailing Torque All Metal Design |
| Lubrication: | Dry Film Lubricant |
| Overall Height: | 0.660 Inches Nominal |
| Mounting Hole Diameter: | 0.098 Inches Minimum And 0.103 Inches Maximum |
| Nut Style: | Plate |
| Nut Length: | 0.990 Inches Maximum |
| Nut Height: | 0.320 Inches Maximum |
| Plate Thickness: | 0.020 Inches Nominal |
| Plate Width: | 0.570 Inches Maximum |
| Nut Mounting Provision: | Straight Holes |
| Mounting Hole Arrangement Style: | 2 Holes |
| Distance From Aperture Center To Mounting Hole Center: | 0.339 Inches Minimum And 0.349 Inches Maximum |
| Center To Center Distance Between Mounting Holes Along Length: | 0.686 Inches Minimum And 0.690 Inches Maximum |
| Temp Rating: | 250.0 Deg Fahrenheit Maximum |
| Thread Series: | Unjf |
| Features Provided: | Floating Nut |
| Thread Quantity Per Inch: | 32 |
| Nominal Thread Size: | 0.190 Inches |
| Material: | Steel Comp 1030 Base Or Steel Comp 1033 Base Or Steel Comp 1034 Base Or Steel Comp 1035 Base Or Steel Comp 1536 Base |
| Material: | Steel Comp 1030 Nut Or Steel Comp 1033 Nut Or Steel Comp 1034 Nut Or Steel Comp 1035 Nut Or Steel Comp 1536 Nut |
| Material: | Steel Comp 1030 Shell Or Steel Comp 1033 Shell Or Steel Comp 1034 Shell Or Steel Comp 1035 Shell Or Steel Comp 1536 Shell |
| Material Document And Classification: | Mil-r-6855 Class 1 Grade 60 Mil Spec Single Material Response Seal |
| Surface Treatment: | Cadmium Base Or Anodize Base Or Chromate Base |
| Surface Treatment: | Cadmium Nut |
| Surface Treatment: | Cadmium Shell |

| | |
|---|---|
| Surface Treatment Document And Classification: | Qq-p-416 Class 3 Fed Spec 1st Treatment Response Base Or Mil-a-8625 Mil Spec 2nd Treatment Response Base Or Mil-c-5541 Mil Spec 3rd Treatment Response Base |
| Surface Treatment Document And Classification: | Qq-p-416 Class 3 Fed Spec Single Treatment Response Nut |
| Surface Treatment Document And Classification: | Qq-p-416 Class 3 Fed Spec Single Treatment Response Shell |
| Specification/standard Data: | 81205-bacn10jz Manufacturers Standard |

How to Order

Order this locknut from our inventory online by visiting https://military-fasteners.com/nuts/clip_on+nuts/BACN10JZ3A2U and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.