

P/N BACN10JZ3A4

Description

Thread Size: 1/4", Nut Length: 1", Nut Height: 3/8"

* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

Order this part online

Additional Information

SKU / Model: BACN10JZ3A4

Minimum Qty (MOQ): 5 EA

NSN: 5310-01-032-0570

Schedule B: 7318.16.0085

ECCN: EAR99

National Motor Freight: 093486, Bolts, nuts Or Screws, Noi (sub 3)



^{*} See page 2 for technical characteristics

P/N BACN10JZ3A4 Specifications

Lubrication: Dry Film L	Torque All Metal Design
Locking Feature: Prevailing Lubrication: Dry Film L	Torque All Metal Design
Lubrication: Dry Film L	
	adricanc
	nes Nominal
-	nes Minimum And 0.103 Inches Maximum
Nut Style: Plate	ics Philinani And 0.105 menes Maximum
	nes Maximum
	nes Maximum
	nes Nominal
	nes Maximum
Nut Mounting Provision: Straight H	
Mounting Hole Arrangement	
Style: 2 Holes	
Distance From Aperture Center To Mounting Hole 0.339 Inch	nes Minimum And 0.349 Inches Maximum
Center:	ies Pililinani 7 ila 6.5 15 ilienes Piaximani
Center To Center Distance	And O COO lask as Mariana
Between Mounting Holes 0.686 Inch Along Length:	nes Minimum And 0.690 Inches Maximum
Temp Rating: 450.0 Deg	g Fahrenheit Nominal
Thread Series: Unjf	
Features Provided: Floating N	lut
Thread Quantity Per Inch: 32	
Nominal Thread Size: 0.190 Inch	nes
Material: Steel Com Steel Com Steel Com Steel Com	ip 1030 Overall Or Steel Comp 1033 Overall Or Steel Comp 1035 Overall Or Steel Comp 1536 Overall Or Steel Comp 1037 Overall Or p 1039 Overall Or Steel Comp 1040 Overall Or Steel Comp 1541 Overall Or Steel Comp 1042 Overall Or Steel Comp 1043 Overall Or p 1044 Overall Or Steel Comp 1045 Overall Or Steel Comp 1046 Overall Or Steel Comp 1548 Overall Or Steel Comp 1049 Overall Or p 1050 Overall Or Steel Comp 1551 Overall Or Steel Comp 1552 Overall Or Steel Comp 1053 Overall Or Steel Comp 1055 Overall Or p 1059 Overall Or Steel Comp 1060 Overall Or Steel Comp 1561 Overall Or Steel Comp 1064 Overall Or Steel Comp 1065 Overall Or p 1566 Overall Or Steel Comp 1069 Overall Or Steel Comp 1070 Overall
Surface Treatment: Cadmium	Overall

Surface Treatment Document And Classification:

Qq-p-416,class 2 Fed Spec Single Treatment Response Overall

Specification/standard Data: 81205-bacn10jz Manufacturers Standard

How to Order

Order this locknut from our inventory online by visiting https://military-fasteners.com/nuts/clip_on+nuts/BACN10JZ3A4 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/nuts/clip_on+nuts/BACN10JZ3A4 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/nuts/clip_on+nuts/BACN10JZ3A4 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/nuts/clip_on+nuts/BACN10JZ3A4 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/nuts/clip_on+nuts/BACN10JZ3A4 and selecting the quantity you want then click "add to cart".