

P/N BACN10JZ4A2

Military-Fasteners.com

#### Description

Thread Size: 1/4", Nut Length: 1-1/4", Nut Height: 3/8"

\* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

### Order this part online

#### **Additional Information**

| SKU / Model:            | BACN10JZ4A2                               |
|-------------------------|---|
| Minimum Qty (MOQ):      | 5 EA                                      |
| NSN:                    | 5310-01-028-4444                          |
| Schedule B:             | 7318.16.0085                              |
| ECCN:                   | EAR99                                     |
| National Motor Freight: | 093486, Bolts,nuts Or Screws, Noi (sub 3) |



# P/N BACN10JZ4A2 Specifications

| Thread Class:  | 3b  |
|--|---|
| Thread Direction:  | Right-hand  |
| Locking Feature:   | Prevailing Torque All Metal Design  |
| Counterbore Diameter:  | 0.290 Inches Minimum Nut  |
| Lubrication:   | Dry Film Lubricant  |
| Overall Height:  | 0.790 Inches Nominal  |
| Mounting Hole Diameter:  | 0.098 Inches Minimum And 0.103 Inches Maximum   |
| Nut Style:   | Plate   |
| Nut Length:  | 1.300 Inches Maximum  |
| Nut Height:  | 0.380 Inches Maximum  |
| Plate Width:   | 0.670 Inches Maximum  |
| Nut Counterbore Depth:   | 0.090 Inches Minimum Nut  |
| Nut Mounting Provision:  | Straight Holes  |
| Mounting Hole Arrangement<br>Style:                                  | 2 Holes   |
| Distance From Aperture<br>Center To Mounting Hole<br>Center:         | 0.495 Inches Minimum And 0.505 Inches Maximum   |
| Center To Center Distance<br>Between Mounting Holes<br>Along Length: | 0.998 Inches Minimum And 1.002 Inches Maximum   |
| Temp Rating:   | 250.0 Deg Fahrenheit Nominal  |
| Thread Series:   | Unjf  |
| Features Provided:   | Floating Nut  |
| Thread Quantity Per Inch:  | 28  |
| Nominal Thread Size:   | 0.250 Inches  |
| Special Features:  | Furnished With O Ring   |
| Material:  | Steel Comp 1030 Overall Or Steel Comp 1033 Overall Or Steel Comp 1034 Overall Or Steel Comp 1035 Overall Or Steel Comp 1536 Overall Or<br>Steel Comp 1037 Overall Or Steel Comp 1038 Overall Or Steel Comp 1039 Overall Or Steel Comp 1040 Overall Or Steel Comp 1541 Overall Or<br>Steel Comp 1042 Overall Or Steel Comp 1043 Overall Or Steel Comp 1044 Overall Or Steel Comp 1045 Overall Or Steel Comp 1046 Overall Or<br>Steel Comp 1548 Overall Or Steel Comp 1049 Overall Or Steel Comp 1050 Overall Or Steel Comp 1551 Overall Or Steel Comp 1552 Overall Or<br>Steel Comp 1053 Overall Or Steel Comp 1055 Overall Or Steel Comp 1059 Overall Or Steel Comp 1060 Overall Or Steel Comp 1561 Overall Or<br>Steel Comp 1064 Overall Or Steel Comp 1065 Overall Or Steel Comp 1566 Overall Or Steel Comp 1069 Overall Or Steel Comp 1070 Overall |

| Surface Treatment:                                | Cadmium Overall   |
|---|---|
| Surface Treatment<br>Document And Classification: | Qq-p-416,class 2 Fed Spec Single Treatment Response Overall |
| Specification/standard Data:                      | 81205-bacn10jz Manufacturers Standard                       |

## How to Order

Order this locknut from our inventory online by visiting <u>https://military-fasteners.com/nuts/clip\_on+nuts/BACN10JZ4A2</u> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <u>here</u> to complete your order.