

Description

Fastener Length: 1-13/64", Thread: 3/8-24, Head Width: 9/64", Thread Length: 13/16

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

| | |
|-------------------------|---|
| SKU / Model: | CA2103764HS |
| Minimum Qty (MOQ): | 1 |
| NSN: | 5306-01-053-9319 |
| Schedule B: | 7318.15.5030 |
| ECCN: | EAR99 |
| National Motor Freight: | 093486, Bolts,nuts Or Screws, Noi (sub 3) |

NO IMAGE
AVAILABLE

P/N CA21037-6-4HS Specifications

| | |
|---|---|
| Thread Class: | 3a |
| Thread Direction: | Right-hand |
| Thread Length: | 0.840 Inches Nominal |
| Fastener Length: | 1.210 Inches Nominal |
| Head Style: | Flat Countersunk |
| Head Diameter: | 0.375 Inches Nominal |
| Locking Feature: | Slotted Concentric Hole |
| Internal Drive Style: | Hexagon |
| End Item Identification: | An/ale-40 |
| Nominal Thread Diameter: | 0.375 Inches |
| Width Across Flats: | 0.141 Inches Nominal |
| Features Provided: | Retaining Clip |
| Thread Quantity Per Inch: | 24 |
| Countersink Angle: | 100.0 Degrees Nominal |
| Externally Relieved Body Diameter Quantity: | 1 |
| Special Features: | Externally Relieved Portion 0.100in. Lg At Tip Of Thread End;concentrichole Through Threaded Portion To Accomodate Retaining Clip-locking Feature |
| Material: | Steel Comp 4140 Overall And Steel Comp 8740 Overall |
| Material: | Steel Comp 631 Locking Feature |
| Material Document And Classification: | Ams 5673 Assn Std Single Material Response Locking Feature |
| Material Document And Classification: | Mil-s-5626 Mil Spec Single Material Response Overall Or Mil-s-6049 Mil Spec Single Material Response Overall |
| Surface Treatment: | Cadmium Overall |
| Surface Treatment: | Passivate Locking Feature |
| Surface Treatment Document And Classification: | Qq-p-35 Fed Spec Single Treatment Response Locking Feature |
| Surface Treatment Document And Classification: | Qq-p-416,type 2,class 2 Fed Spec Single Treatment Response Overall |
| Thread Series Designator: | Unf |

How to Order

Order this internal wrenching bolt from our inventory online by visiting <https://military-fasteners.com/bolts/internal+wrenching+bolts/CA21037-6-4HS> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.