

**Description**

thread size: 1-20, static free, threaded connector, yellow color, low density polyethylene, plastic, designed for easy application and removal, EP series caplug

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

**Additional Information****Alternate Part Numbers**

[NAS837-16](#) [MS90376-16Y](#)

SKU / Model:	EP16
Minimum Qty (MOQ):	50
NSN:	5340-00-044-5828
Schedule B:	3926.90.9995
ECCN:	EAR99
National Motor Freight:	013120, Aluminum Article Noi Sub 6



## P/N EP-16 Specifications

<b>Thread Class:</b>	2b
<b>Overall Diameter:</b>	0.942 Inches Minimum And 0.944 Inches Maximum
<b>Design Type:</b>	Threaded
<b>Inside Diameter Length:</b>	0.845 Inches Minimum And 0.905 Inches Maximum
<b>Round Cap Outside Surface Condition:</b>	Serrated
<b>Material:</b>	Aluminum
<b>Surface Treatment:</b>	Anodize
<b>Thread Size And Series/type Designator:</b>	1.000-20 Unef Or 1.000-20 Nef

## How to Order

Order this protective dust and moisture cap from our inventory online by visiting <https://military-fasteners.com/caplug/protective+dust+and+moisture+caps/EP-16> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.