

## P/N F7500P-6-B-3

## **Description**

Fastener Length: 49/64", Thread: 6-32, F7500 series screw

\* Manufacturer certifications are shipped with your order FREE of charge

## Order this part online

#### **Additional Information**

SKU / Model: F7500P6B3

Minimum Qty (MOQ): 2

NSN: 5305-01-198-5555

Schedule B: 7318.15.6080

ECCN: EAR99

National Motor Freight: 093490, Bolt / Nut / Screw / Clips / Fastener / Etc









# P/N F7500P-6-B-3 Specifications

Thread Class:	3a
Thread Direction:	Right-hand
Fastener Length:	0.505 Inches Minimum And 0.775 Inches Maximum
Head Style:	Knurled No. 4
Head Diameter:	0.356 Inches Nominal
Head Height:	0.270 Inches Nominal
Internal Drive Style:	Cross Recess Type 1
Material Accommodated Thickness:	0.032 Inches Minimum And 0.093 Inches Maximum
Nominal Thread Diameter:	0.138 Inches
Thread Quantity Per Inch:	32
Material:	Aluminum Alloy 6061 Head
Material:	Aluminum Alloy 6061 Stand-off
Material:	Iron Alloy 660 Fastener
Material:	Steel Comp 301 Primary Washer
Material:	Steel Comp 301 Secondary Washer
Material:	Steel Comp 302 Spring
Material Document And Classification:	Ams5731 Assn Std Single Material Response Fastener Or Ams5732 Assn Std Single Material Response Fastener
Material Document And Classification:	Mil-s-5059 Mil Spec Single Material Response Primary Washer
Material Document And Classification:	Mil-s-5059 Mil Spec Single Material Response Secondary Washer
Material Document And Classification:	Qq-a-225/8 Fed Spec Single Material Response Head
Material Document And Classification:	Qq-a-225/8 Fed Spec Single Material Response Stand-off
Material Document And Classification:	Qq-w-423 Cond B Fed Spec Single Material Response Spring
Surface Treatment:	Anodize Head
Surface Treatment:	Anodize Stand-off
Surface Treatment:	Passivate Fastener
Surface Treatment:	Passivate Primary Washer
Surface Treatment:	Passivate Secondary Washer
Surface Treatment:	Passivate Spring
Surface Treatment Document And Classification:	Mil-a-8625,ty 1,cl 1 Mil Spec Single Treatment Response Stand-off
Surface Treatment Document And Classification:	Mil-a-8625,ty 1,cl 1 Mil Spec Single Treatment Response Head
Surface Treatment Document And Classification:	Qq-p-35 Fed Spec Single Treatment Response Fastener

Surface Treatment Document And Classification:	Qq-p-35 Fed Spec Single Treatment Response Primary Washer
Surface Treatment Document And Classification:	Qq-p-35 Fed Spec Single Treatment Response Secondary Washer
Surface Treatment Document And Classification:	Qq-p-35 Fed Spec Single Treatment Response Spring
Thread Series Designator:	Unf

## **How to Order**

Order this machine screw from our inventory online by visiting <a href="https://military-fasteners.com/screws/machine+screws/F7500P-6-B-3">https://military-fasteners.com/screws/machine+screws/F7500P-6-B-3</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/screws/machine+screws/F7500P-6-B-3">https://military-fasteners.com/screws/machine+screws/F7500P-6-B-3</a> and selecting the quantity you