

## P/N FT1761-12

### **Description**

Retaining Ring part number

\* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

## Order this part online

#### **Additional Information**

SKU / Model:	FT176112
Minimum Qty (MOQ):	5 EA
NSN:	5325-01-422-9644
National Motor Freight:	095190, Hardware, Noi



# **P/N FT1761-12 Specifications**

Cross-sectional Shape Style:	Rectangular
Inside Diameter:	0.255 Inches Minimum And 0.265 Inches Maximum
Casehardening Indicator:	Not Casehardened
Major Thickness:	0.030 Inches Minimum And 0.040 Inches Maximum
Ring Style:	E
End Item Identification:	F-16 Acft
Usage Design:	Internal
Material:	Steel, Mil-s-25043
Material:	Steel Comp 631
Material Document And Classification:	Mil-s-25043 Mil Spec Single Material Response
Surface Treatment:	Cadmium And Chromate
Supplementary Features:	Outside Dia Is 0.380-0.400 In.
Surface Treatment:	Cadmium, Qq-p-416, Type 2, Class 2

### **How to Order**

Order this retaining ring from our inventory online by visiting <a href="https://military-fasteners.com/rings/retaining+rings/FT1761-12">https://military-fasteners.com/rings/retaining+rings/FT1761-12</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rings/retaining+rings/FT1761-12">https://military-fasteners.com/rings/retaining+rings/FT1761-12</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rings/retaining+rings/FT1761-12">https://military-fasteners.com/rings/retaining+rings/FT1761-12</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rings/retaining+rings/FT1761-12">https://military-fasteners.com/rings/retaining+rings/FT1761-12</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rings/retaining-rings/