

Description

Retaining Ring part number

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	M2742630177B
Minimum Qty (MOQ):	5 EA
NSN:	5325-01-047-8282
Schedule B:	7318.29.0000
ECCN:	9A991
National Motor Freight:	095190, Hardware, Noi Sub 9

NO IMAGE
AVAILABLE

* See page 2 for technical characteristics

P/N M2742630177B Specifications

Cross-sectional Shape Style:	Double Oval
Inside Diameter:	3.035 Inches Minimum And 3.045 Inches Maximum
Casehardening Indicator:	Not Casehardened
Outside Diameter:	3.379 Inches Minimum And 3.409 Inches Maximum
Major Thickness:	0.058 Inches Minimum And 0.066 Inches Maximum
Ring Style:	Special Flat
Usage Design:	Internal
Material Hardness Rating:	40.0 Rockwell C Minimum And 51.5 Rockwell C Maximum
Strength Rating:	211000.0 Pounds Per Square Inch Minimum Tensile
Material:	Steel Fed Std 66 Aisi 1070 Or Steel Fed Std 66 Aisi 1074 Or Steel Fed Std 66 Aisi 1078 Or Steel Fed Std 66 Aisi 1080 Or Steel Fed Std 66 Aisi 1084 Or Steel Fed Std 66 Aisi 1086 Or Steel Fed Std 66 Aisi 1090
Material:	Steel Fed Std 66 Aisi 1070 Or Steel Fed Std 66 Aisi 1074 Or Steel Fed Std 66 Aisi 1078 Or Steel Fed Std 66 Aisi 1080 Or Steel Fed Std 66 Aisi 1084 Or Steel Fed Std 66 Aisi 1086 Or Steel Fed Std 66 Aisi 1090
Surface Treatment:	Cadmium And Chromate
Surface Treatment:	Cadmium, Qq-p-416, Type 2, Class 2

How to Order

Order this retaining ring from our inventory online by visiting <https://military-fasteners.com/rings/retaining+rings/M2742630177B> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.