



Military-Fasteners.com

P/N MS14104-6

Description

inner diameter: 3/8" outer diameter: 13/16", plain, self-lubricating, self-aligning, low speed, narrow, chamfered outer ring, MS14104 series bearing

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

Alternate Part Numbers

[03-823-06](tel:03-823-06)

SKU / Model:	MS141046
Minimum Qty (MOQ):	1
NSN:	3120-01-030-8773
Schedule B:	7318.15.5030
ECCN:	EAR99
National Motor Freight:	133300, Machinery / Machines Noi



* See page 2 for technical characteristics

P/N MS14104-6 Specifications

Bore Diameter:	0.3745 Inches Minimum And 0.3750 Inches Maximum
Outer Member Outside Diameter:	0.8120 Inches Minimum And 0.8125 Inches Maximum
Outer Member Width:	0.3070 Inches Minimum And 0.3170 Inches Maximum
Inner Member Width:	0.4040 Inches Minimum And 0.4060 Inches Maximum
Static Radial Load Rating:	10540 Pounds
Style Designator:	With Insert And/or Liner

How to Order

Order this plain self-aligning bearing from our inventory online by visiting https://military-fasteners.com/bearings/plain+self_aligning+bearings/MS14104-6 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.