



[Military-Fasteners.com](http://Military-Fasteners.com)

**P/N MS14104-6**

## Description

inner diameter: 3/8" outer diameter: 13/16", plain, self-lubricating, self-aligning, low speed, narrow, chamfered outer ring, MS14104 series bearing

\* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

## Additional Information

### Alternate Part Numbers

[03-823-06](tel:03-823-06)

SKU / Model:	MS141046
Minimum Qty (MOQ):	1
NSN:	3120-01-030-8773
Schedule B:	7318.15.5030
ECCN:	EAR99
National Motor Freight:	133300, Machinery / Machines Noi



\* See page 2 for technical characteristics

## P/N MS14104-6 Specifications

<b>Bore Diameter:</b>	0.3745 Inches Minimum And 0.3750 Inches Maximum
<b>Outer Member Outside Diameter:</b>	0.8120 Inches Minimum And 0.8125 Inches Maximum
<b>Outer Member Width:</b>	0.3070 Inches Minimum And 0.3170 Inches Maximum
<b>Inner Member Width:</b>	0.4040 Inches Minimum And 0.4060 Inches Maximum
<b>Static Radial Load Rating:</b>	10540 Pounds
<b>Style Designator:</b>	With Insert And/or Liner

## How to Order

Order this plain self-aligning bearing from our inventory online by visiting [https://military-fasteners.com/bearings/plain+self\\_aligning+bearings/MS14104-6](https://military-fasteners.com/bearings/plain+self_aligning+bearings/MS14104-6) and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.