

P/N MS15795-826

Description

MS15795-826 Flat Washer

* Manufacturer certifications are shipped with your order FREE of charge

Order this part online

Additional Information

SKU / Model: MS15795826

Minimum Qty (MOQ): 10

NSN: 5310-00-543-2500

ECCN: EAR99

National Motor Freight: 194160, Washer Or Gaskets, Iron Or Steel,



^{*} See page 2 for technical characteristics

P/N MS15795-826 Specifications

Cross-sectional Shape Style:	Rectangular
Hole Diameter:	1.055 Inches Minimum And 1.092 Inches Maximum
Peripheral Shape Style:	Round
Center Hole Shape Style:	1 Round
Center Hole Shape Style:	Round
Thickness:	0.108 Inches Minimum And 0.160 Inches Maximum
Overall Diameter:	1.993 Inches Minimum And 2.030 Inches Maximum
Material:	Steel Comp 301 Overall Or Steel Comp 302 Overall Or Steel Comp 316 Overall
Material Document And Classification:	66 Fed Std All Material Responses Overall
Surface Treatment:	Passivate Overall
Surface Treatment Document And Classification:	Qq-p-35 Fed Spec Single Treatment Response Overall
Nondefinitive Spec/std Data:	A Type And 1 Grade And B Class

How to Order

Order this flat washer from our inventory online by visiting https://military-fasteners.com/washers/flat+washers/MS15795-826 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/washers/flat+washers/MS15795-826 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/washers/flat+washers/MS15795-826 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/washers/ms15795-826 and selecting the quantity you want https://military-fasteners.com/washers/ms15795-826 and selecting the your cart you can check out https://military-fasteners.com/washers/ms15795-826 and selecting the your cart you can check out https://military-fasteners.com/washers/ms15795-826 and selecting the your cart you can check you c