

P/N MS16624-1028

Description

for shaft size: 9/32", basic external cadmium plated steel - tapered section type

* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

Order this part online

Additional Information

SKU / Model:	MS166241028
Minimum Qty (MOQ):	10
NSN:	5325-00-803-6227
National Motor Freight:	095190, Hardware, Noi Sub 9



^{*} See page 2 for technical characteristics

P/N MS16624-1028 Specifications

Cross-sectional Shape Style:	Rectangular
Inside Diameter:	0.251 Inches Minimum And 0.258 Inches Maximum
Casehardening Indicator:	Not Casehardened
Major Thickness:	0.023 Inches Minimum And 0.027 Inches Maximum
Ring Style:	External
Usage Design:	External
Material Hardness Rating:	69.5 Rockwell Superficial 30-n Minimum And 73.0 Rockwell Superficial 30-n Maximum
Material:	Steel, Fed Std 66, Comp 1066 Or Steel, Fed Std 66, Comp 1069 Or Steel, Fed Std 66, Comp 1070 Or Steel, Fed Std 66, Comp 1072 Or Steel, Fed Std 66, Comp 1074 Or Steel, Fed Std 66, Comp 1075 Or Steel, Fed Std 66, Comp 1080 Or Steel, Fed Std 66, Comp 1084 Or Steel, Fed Std 66, Comp 1085 Or Steel, Fed Std 66, Comp 1086 Or Steel, Fed Std 66, Comp 1090
Material:	Steel Comp 1566 Or Steel, Fed Std 66, Comp 1069 Or Steel Comp 1070 Or Steel Comp 1572 Or Steel Comp 1074 Or Steel Comp 1075 Or Steel Comp 1078 Or Steel Comp 1080 Or Steel Comp 1070 Or Steel Comp 1085 Or Steel Comp 1086 Or Steel Comp 1090
Material Document And Classification:	Fed Std 66, Comp 1066 Fed Std 1st Material Response And Fed Std 66, Comp 1070 Fed Std 3rd Material Response And Fed Std 66, Comp 1072 Fed Std 4th Material Response And Fed Std 66, Comp 1074 Fed Std 5th Material Response And Fed Std 66, Comp 1075 Fed Std 6th Material Response And Fed Std 66, Comp 1078 Fed Std 7th Material Response And Fed Std 66, Comp 1080 Fed Std 8th Material Response And Fed Std 66, Comp 1084 Fed Std 9th Material Response And Fed Std 66, Comp 1085 Fed Std 10th Material Response And Fed Std 11th Material Response And Fed Std 66, Comp 1090 Fed Std 12th Material Response
Surface Treatment:	Cadmium And Chromate Or Cadmium And Chromate
Surface Treatment:	Cadmium, Qq-p-416, Type 2, Class 3 Or Cadmium,mil-c-81562,ty 2,cl 3

How to Order

Order this retaining ring from our inventory online by visiting https://military-fasteners.com/rings/retaining+rings/MS16624-1028 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/rings/retaining+rings/MS16624-1028 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/rings/retaining+rings/MS16624-1028 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/rings/retaining+rings/MS16624-1028 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/rings/retaining-rings/mS16624-1028 and selecting the part of th