

## P/N MS16625-4244

### **Description**

Retaining Ring part number

\* Manufacturer certifications are shipped with your order FREE of charge

## Order this part online

#### **Additional Information**

SKU / Model: MS166254244

Minimum Qty (MOQ):

NSN: 5325-00-806-0202

Schedule B: 7318.16.0060

ECCN: EAR99

National Motor Freight: 095190, Hardware, Noi Sub 9









# P/N MS16625-4244 Specifications

Cross-sectional Shape Style:	Rectangular
Casehardening Indicator:	Not Casehardened
Outside Diameter:	2.702 Inches Nominal
Major Thickness:	0.078 Inches Nominal
Ring Style:	Internal
Usage Design:	Internal
Material Hardness Rating:	44.0 Rockwell C Minimum And 51.0 Rockwell C Maximum
Material:	Steel, Corrosion Resisting
Material:	Steel Corrosion Resisting
Surface Treatment:	Passivate
Surface Treatment:	Passivated

## **How to Order**

Order this retaining ring from our inventory online by visiting <a href="https://military-fasteners.com/rings/retaining+rings/MS16625-4244">https://military-fasteners.com/rings/retaining+rings/MS16625-4244</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rings/retaining+rings/MS16625-4244">https://military-fasteners.com/rings/retaining+rings/MS16625-4244</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rings/retaining+rings/MS16625-4244">https://military-fasteners.com/rings/retaining+rings/MS16625-4244</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rings/retaining+rings/MS16625-4244">https://military-fasteners.com/rings/retaining+rings/MS16625-4244</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rings/retaining+rings/mS16625-4244">https://military-fasteners.com/rings/retaining+rings/MS16625-4244</a> and selecting the part of th