

## P/N MS16627-4118

### **Description**

Retaining Ring part number

\* Manufacturer certifications are shipped with your order <u>FREE</u> of charge

## Order this part online

#### **Additional Information**

SKU / Model: MS166274118

Minimum Qty (MOQ): 25

NSN: 5325-00-088-0565

Schedule B: 7318.15.5030

ECCN: 9A991

National Motor Freight: 095190, Hardware, Noi









<sup>\*</sup> See page 2 for technical characteristics

# P/N MS16627-4118 Specifications

Cross-sectional Shape Style:	Rectangular
Casehardening Indicator:	Not Casehardened
Outside Diameter:	1.273 Inches Minimum And 1.298 Inches Maximum
Major Thickness:	0.048 Inches Minimum And 0.052 Inches Maximum
Ring Style:	Internal Inverted Lugs
Usage Design:	Internal
Material Hardness Rating:	44.0 Rockwell C Minimum And 51.0 Rockwell C Maximum
Material:	Steel, Ams 5520
Material:	Steel Comp 632
Material Document And Classification:	Ams 5520 Assn Std Single Material Response
Surface Treatment:	Passivate
Surface Treatment:	Passivated, Qq-p-35

## **How to Order**

Order this retaining ring from our inventory online by visiting <a href="https://military-fasteners.com/rings/retaining+rings/MS16627-4118">https://military-fasteners.com/rings/retaining+rings/MS16627-4118</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rings/retaining+rings/MS16627-4118">https://military-fasteners.com/rings/retaining+rings/MS16627-4118</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rings/retaining+rings/MS16627-4118">https://military-fasteners.com/rings/retaining+rings/MS16627-4118</a> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out <a href="https://military-fasteners.com/rings/retaining+rings/MS16627-4118">https://military-fasteners.com/rings/retaining+rings/MS16627-4118</a> and selecting the quantity you want of the property of the propert