

P/N MS16627-4118

Description

Retaining Ring part number

* Manufacturer certifications are shipped with your order EREE of charge

Order this part online

Additional Information

SKU / Model: MS166274118

Minimum Qty (MOQ): 25

NSN: 5325-00-088-0565

Schedule B: 7318.15.5030

ECCN: 9A991

National Motor Freight: 095190, Hardware, Noi









^{*} See page 2 for technical characteristics

P/N MS16627-4118 Specifications

| Cross-sectional Shape Style: | Rectangular |
|---------------------------------------|---|
| Casehardening Indicator: | Not Casehardened |
| Outside Diameter: | 1.273 Inches Minimum And 1.298 Inches Maximum |
| Major Thickness: | 0.048 Inches Minimum And 0.052 Inches Maximum |
| Ring Style: | Internal Inverted Lugs |
| Usage Design: | Internal |
| Material Hardness Rating: | 44.0 Rockwell C Minimum And 51.0 Rockwell C Maximum |
| Material: | Steel, Ams 5520 |
| Material: | Steel Comp 632 |
| Material Document And Classification: | Ams 5520 Assn Std Single Material Response |
| Surface Treatment: | Passivate |
| Surface Treatment: | Passivated, Qq-p-35 |

How to Order

Order this retaining ring from our inventory online by visiting https://military-fasteners.com/rings/retaining+rings/MS16627-4118 and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out https://military-fasteners.com/rings/retaining+rings/MS16627-4118 and selecting the quantity you