

Description

MS17829-6C Self-Locking Hexagon Nut

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

| | |
|-------------------------|-------------------------------------------|
| SKU / Model: | MS178296C |
| Minimum Qty (MOQ): | 5 |
| NSN: | 5310-00-483-8790 |
| ECCN: | EAR99 |
| National Motor Freight: | 093486, Bolts,nuts Or Screws, Noi (sub 3) |



NO IMAGE
AVAILABLE

P/N MS17829-6C Specifications

| | |
|-------------------------------------------------------|-----------------------------------------------------------------------------|
| Thread Class: | 3b |
| Thread Direction: | Right-hand |
| Locking Feature: | Prevailing Torque With Nonmetallic Insert |
| Nut Style: | Hexagon |
| Nut Height: | 0.318 Inches Minimum And 0.469 Inches Maximum |
| Width Across Flats: | 0.553 Inches Minimum And 0.564 Inches Maximum |
| Temp Rating: | 250.0 Deg Fahrenheit Nominal |
| Thread Series: | Unc |
| Thread Quantity Per Inch: | 16 |
| Nominal Thread Size: | 0.375 Inches |
| Countersink Angle: | 88.0 Degrees Nominal Nut |
| Bearing Surface Type: | Chamfered Or Washer Faced |
| Material: | Plastic Polyhexamethylene Amide Locking Insert |
| Material: | Steel Comp 1137 Nut |
| Material Document And Classification: | 66 Fed Std Single Material Response Nut |
| Material Document And Classification: | Mil-m-20693,comp A,ty 1 Mil Spec Single Material Response Locking Insert |
| Surface Treatment: | Cadmium Overall Except Insert |
| Surface Treatment Document And Classification: | Qq-p-416,ty 2,c1 3 Fed Spec Single Treatment Response Overall Except Insert |

How to Order

Order this self-locking hexagon nut from our inventory online by visiting https://military-fasteners.com/nuts/self_locking+hexagon+nuts/MS17829-6C and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.