

Description

MS17984 series pin

* Manufacturer certifications are shipped with your order FREE of charge[Order this part online](#)**Additional Information**

SKU / Model:	MS17984C615
Minimum Qty (MOQ):	1
NSN:	5315-00-937-0965
Schedule B:	7318.24.0000
ECCN:	EAR99
National Motor Freight:	095190, Hardware, Noi Sub 9



* See page 2 for technical characteristics

P/N MS17984C615 Specifications

Shank Diameter:	0.3720 Inches Minimum And 0.3735 Inches Maximum
Button Handle Diameter:	0.875 Inches Minimum And 1.135 Inches Maximum
Detent Quantity:	2
End Item Identification:	W/s:ah-64-d Longbow; Missile, All-weather Antiship, Harpoon (agm-84); Helicopter, Mh-53e; Engine, Aircraft, F100-pw-200 (f-16a/b/c/d); Lav, Anti-tank; Missile, Minuteman Lgm-30; Boat, Bridge Erection, Uscsbmk2; Field Artillery Ammunition Support Vehicle (faagv)(m992); Navstar Global Positioning System User Equipment (ue); Engine, Aircraft F100-pw-229 (f15e, F16c/d)
Grip Length:	1.500 Inches Minimum And 1.520 Inches Maximum
Actuation Type:	Push
Hardness Rating:	40.0 Rockwell C Minimum Overall
Shoulder To Head End Distance:	1.040 Inches Maximum
Pin Attachment Type:	Hook
Detent To Tapered End Distance:	0.335 Inches Minimum And 0.365 Inches Maximum
Material:	Steel Comp 630 Shank Or Steel Comp 632 Shank
Material:	Steel Comp 630 Spindle Or Steel Comp 632 Spindle
Material Document And Classification:	Ams 5643 Assn Std 1st Material Response Shank Or Ams 5657 Assn Std 2nd Material Response Shank
Material Document And Classification:	Ams 5643 Assn Std 1st Material Response Spindle Or Ams 5657 Assn Std 2nd Material Response Spindle
Surface Treatment:	Passivate Shank
Surface Treatment:	Passivate Spindle
Surface Treatment Document And Classification:	Qq-p-35 Fed Spec Single Treatment Response Shank
Surface Treatment Document And Classification:	Qq-p-35 Fed Spec Single Treatment Response Spindle
Style Designator:	Button

How to Order

Order this quick release pin from our inventory online by visiting <https://military-fasteners.com/pins/quick+release+pins/MS17984C615> and selecting the quantity you want then click "add to cart". Once items are in your cart you can check out [here](#) to complete your order.